Analytic subject index to Parts I, II and III[1]

A_2–A_1 transition 631
A–B transition 633
Abrikosov flux lattice 1097; *72*
Abrikosov lattice 1125
Abrikosov phase 1117
Abrikosov state 347
Abrikosov vortices 1101, 1179, 1381
Absorption coefficient 1255
AC conductance 1641
AC external magnetic field 1577
AC-to-DC rectification 1459
Acoustic mismatch 529
Acoustic quality factor *463*
Activation energy 913, 1489; *617*
– of flux 1397
– of the resistance tail 1555
Adiabatic flow 771
Adiabaticity 953
Adsorbed gases *177*
Adsorption 607
Aerogels 581, 583
AFMR 1321
Ag addition 1669
AgMn 459
Ag-sheeted tape 1441
$Ag/YBa_2Cu_3O_{7-\delta}$ 149
Aging 183
Aharonov–Bohm effect *245*
Air-bearings 55
Al 143, 1597
$Al_{63}Cu_{25}Fe_{12}$ 283
Al doping 1245
AlGaAs/GaAs heterojunctions 861
Al_2O_3–RuO_2 composite bolometer 5
Allan variance 145
Alloys
– dilute *475*
– fcc Fe-based 197
Amorphous Cu_xSn_{100-x} 289
Amorphous materials *322*
Amorphous Nb_3Ge films 1169
Amorphous state 311
Amorphous U–Fe, U–Co and U–Ni 1519
Anderson insulator *485*
Anderson lattice 415
Anderson localisation 293, 297, 509
Anderson model 391, 413; *477*
Andreev reflection 967, 1615, 1619; *467*
Andreev scattering 1107, 1617
Angular dependence 1423
Anharmonicity 1057
Anisotropic gap 367
Anisotropy 163, 319, 413, 419, 669, 1197, 1321, 1343, 1411, 1423, 1447, 1449, 1451, 1539, 1627; *293*, *471*, *599*, *637*, *651*
– of crystal 807
– parameter 1453; *645*
Annealing 841
– cycle 1467
– effects 1499
Anomalies 417, 1533; *475*
Antiferromagnetic (AF) state 1029
Antiferromagnetic (AFM) 393
Antiferromagnetic correlations 397
Antiferromagnetic domains 243
Antiferromagnetic exchanges 697
Antiferromagnetic excitations 451
Antiferromagnetic interaction 1019
Antiferromagnetic order 171, 349, 421, 423, 431, 441, 447, 783, 785, 797, 1185, 1191, 1297
Antiferromagnetic resonance 787
Antiferromagnetic system, frustrated 697
Antiferromagnetism 321, 779, 799, 891, 1187, 1313; *204*, *257*, *306*, *579*
Antiferromagnets 175, 991, 993; *555*
– dilute 179
– diluted Ising-type 211
– doped 989; *593*
– two-dimensional 993; *589*
Anyons 987
Apical oxygen 983, 1019
Array of constrictions 849

[1] Page numbers in roman type refer to Parts I–II, in italic type to Part III.

Arsenic 917
Artificial barrier 1603
Artificial grain boundary barriers 69
Artificial $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices 469, 471
As_xSe_{1-x} glasses *567*
Aslamazov–Larkin fluctuation term 273
Aslamazov–Larkin theory *647*
Atom–field interaction 13
Atomic resolution STM image 1563
Attenuation 127, 423, 1287; *521*
– measurements 899
– of phonons 895
Au composites 1397
Au film 1465

B–A phase change 613
B–A transition region 613
B-phase 613
$BaCO_3$ 1695
BaF_2 method 1495
$Ba_{1-x}K_xBiO_3$ 1035, 1281
– superconducting and magnetic properties 1561
$BaPb_{1-x}Bi_xO_3$ 1035
– ceramic 1591
BaPb–Bi–O ceramic superconductor 1165
$Ba_2YCu_3O_{6+x}$ 1257
Ballistic beams 495
Ballistic phonons 911
– detectors 7
– imaging techniques *356*
Ballistic quasiparticles 651
Ballistic transport 917
Ballistic vortices 969
Band structure 271, 335, 341, 847, 941, 1221
– calculations 343
Band theory 407
– calculations *45*
BCS-like models 1061
BCS theory 513, 1075, 1091
– departures from 1195
Beam of hydrogen atoms 11
Bean's model 1143, 1401
Bernoulli theorem 87
Bethe Ansatz 991
Bi-2222 1551
Bi-based superconductors 1453
$Bi_2CaSr_2Cu_2O_8$ *647*
Bi compound 1317
Bi–Pb–Ca–Sr–Cu–O *649*
$Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ *657*
$Bi_{1-x}Pb_xSrCaCu_{1.8}O_y$ *615*
Bi(Pb)–Sr–Ca–Cu–O 1411, 1441
– phase 1675
– thin films 1479
$(Bi_{0.8}Pb_{0.2})_2Sr_2Ca_2Cu_3O_y$ 1355
Bi(Pb, Sb)–Sr–Ca–Cu–O 1373
Bi–Sn–Sr–Ca–Cu–O thin film 1487
$Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_{8+y}$ 1553
BiSrCaCuO 1255, 1421, 1483
– ceramics *659*
– films 1137, 1499, 1607; *617*
– superconductors 1227
– system 1501
– thin films 1423
$Bi_2Sr_2CaCu_2O_x$ 1485, 1563
$Bi_2Sr_2CaCu_2O_8$ 1429, 1679
– films 1419
$Bi_2Sr_2CaCu_2O_{8+x}$ 1143, 1159, 1231, 1455, 1553, 1567, 1681
– flux melted state in single crystal 1159
– resistive broadening in fields of 1159
$Bi_2Sr_2Ca_2Cu_3O_{10}$ 1481
$Bi_2Sr_2Ca_2Cu_3O_{10+y}$ 1567
$Bi_{2.1}Sr_{1.9}Ca_{0.9}Cu_2O_{8+\delta}$ *72*
$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ (n=1, 2, 3), linear term in specific heat 1329
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_y$ 1223
$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_8$ 1221
$Bi_2Sr_2(Ca, Nd)Cu_2O_{8-\delta}$ 1251
$Bi_2Sr_2(Ca, Nd)Cu_2O_{8+\delta}$, optical properties 1251
$Bi_2Sr_2CuO_{6+x}$ 1287
$Bi_2Sr_2CuO_{6+x}$-type (2021) orthorhombic structure 1153
$Bi_2Sr_{2-x}Pb_xCa_2Cu_3P_{10}$ 1141
$Bi_2(Sr, Ca)_3Cu_2O_y$ 1363
(Bi, Pb)–Sr–Cu–O system 1693
Bifurcation 521
Binding energy 1229
Biomagnetic field 99
Biomagnetic instrumentation 95
Biomagnetism 79
Bipolaron model, nonlinear characteristics 1043
Bipolarons 1041, 1241
Bismuth 269
Bismuth ceramic 1203
Bloch equation, nonlinear terms in 727
Bloch oscillations 931, 933, 935
Bloch waves 1063
Blockage 59
Bogoliubov–de Gennes equations 967, 1063, 1065
Bolometers 1, 37, 115, 317
Bolometric detectors *439*
Boltzmann equation 725

Bonding Si wafers 123
Bonding state 1239
Border scattering 265
Born–von Karman model 1085
Bose condensate 487; *505*
Bose condensation of positronium 491
Bose–Einstein condensation 485, 509, 595, 1517; *449*
Bose gas *583*
Bose system, one-dimensional *591*
Bosonic spins 997
Bound states 869; *467*
Boundary 555
– conditions 265, 637, 659, 747, 855
– effects 561
– layers 705
– – theory 87
Boundary resistance 533
Bragg reflections 939
Breathing mode 1241
Brillouin light scattering 907
Broken symmetries 393, 487, 1093
Bulk measurement 1521
Bulk superflow 615
Bulk surface *537*

c-axis resistivity *637*
c-number condensate 513
$C_{24}SbCl_5$ 885
C-solutions 513
$CaBaACu_3O_y$ 1213
CaF_2 695
$CaLaBaCu_3O_x$ 1557
$CaNdAlO_4$ single crystals 1479
Cadmium 253
Calcium–neodymium aluminate 1485
Calibration 41
Calorimetry 133; *445*
Canted normal antiferromagnetic type 831
Carrier concentration 871; *633*
– dependence of doping effects 1531
Carrier density 1559
Carrier mobility 1189
Carrier response *7*
Castaing–Nozières effect 733
Castaing–Nozières method *445*
Cathodoluminescence (CL) microscopy 1695
Cation substitution chemistry 1683
$CeAl_2$ 335
$CeAl_3$ 407, 419
$Ce(CF_3SO_3)_3{\cdot}9H_2O$ 221
Ce compounds *501*
$CeCu_2$ 329
$CeCu_6$ 341
$Ce(Cu_{1-x}Ni_x)_2Ge_2$ 387, 427
$CeCu_2Si_2$ 323, 337
Ce doping 1537
$CeIn_3$ 331
CePdIn 421, 435
$CeRu_2Si_2$ 433; *257*
$CeRuSn_x$ 443
$CeRuSn_3$ 447
$CeSn_3$ 327, 333
Cell-type transformation 223
Ceramics 1371; *611*, *661*
Cerium magnesium nitrate 23
Cermets 39
Chain-extended polymers 909
Chains 1049
Chaos 21, 117, 1659, 1661
– noise 185
Chaotic attractor 67
Chaotic behaviour 1577
Characteristic energy 1291
Characteristic temperature 383
Charge carrier mobility *627*
Charge density wave (CDW) 839, 891, 1037, 1053, 1591
– compounds 893
Charge motion 813, 913
Charge pair 1613
Charge quantisation effects *32*
Charge transfer 1245, 1249
Charge-transfer gap 1015
Charge unbinding 1127
Charge–vortex binding *37*
Charged Bose gas 1041
Charges mobilities 813
Charging effects 61, 949, 971, 1127, 1505, 1595
Chemical potential 1605; *561*
Chemical potential difference 771
Chemical vapour deposition (CVD) 1133
– film 1421
Chevrel phase 1395, 1409
– superconductors *99*
Circuitry of a (double) dSQUID, experimental procedure and results 83
Circulation 617; *523*
Citrate-gel process 1667
Clausius–Clapeyron equation 827
Clean limit 1453
Cleaving method 1627
Cluster approximation 703
Cluster beam 135

Cluster model 1019
Cluster size dependence 1461
CMN thermometer 31
Co doping 1247
Co films 453
Cobalt disilicide 863
Cobalt-doped YBCO 1199
Codimension-two point 521
Coevaporation 1413
Coherence effect 447
Coherence length 483, 649, 1065, 1277, 1471; *645*
Coherent electron focusing *355*
Coherent hole propagation *589*
Coherent state 937
Cold collisions 17
Cold trap 59
Collective models 661
Collective modes 127
Collective pinning 1167, 1179; *609*
Collision cascade *439*
Collisional line broadening 19
Collisionless regime 723
Colloids *439*
Commensurability 245, 1637
Commensurate fields 1645
Commensurate flux phase *585*
Commensurate–incommensurate transition *144*
Commensurate magnetic fields 1647
Commensurate vortex lattice 1175
Competing interactions *501*
Complex conductivity 1197
Complex impedance *617*
Complex optical conductivity 1257
Condensate 491
Condensate-less *P*-solutions 513
Conditional probability 113
Conductance fluctuations *485*
Conductance minimum 853
Conductance quantisation *355*
Conductance–voltage characteristics 1581
Conducting property 1489
Conduction electrons 855
– interaction with 895
Conduction properties 1613
Conductivity 265
Confined geometry 599, 699
Constrictions 1611
Contact resistivity 1625
Contacts 1625
Continuous vortices 621
Continuously degenerate 799
Convection 55, 521
Convective conductance 591
Convective flow mechanism 767
Cooling
– adiabatic demagnetised 787, 795
– Joule–Thomson 159
– of polarised liquid *445*
– optical 15
Cooper pair tunneling 971
Copper 779, 781, 783, 797, 799
Copper 2p core level 1227
Copper oxides 1599
Coqblin–Schrieffer 413
Core structrures 627
Correlated electrons 403, 415; *277*
Correlation
– length, two-dimensional 591
– of Cooper pairs 1087
– of S with T_c 1345
– regions 1179
– time *569*
Coulomb blockade 61, 929, 971, 977, 979; *32*, *573*
Coulomb gap 63, 977; *489*
Coulomb gas *701*
Coulomb interaction 219, 1087; *231*
– long-range 313
Coulomb potential 1033
Counterflow jets 761
Coupled channels 17
Coverages 709
Creep *91*
Creep rate S *615*
Critical behaviour 223, 573; *613*, *689*
Critical current 79, 473, 755, 1113, 1123, 1167, 1381, 1389, 1407, 1415, 1423, 1485, 1513, 1565, 1577, 1607; *601*, *611*, *617*, *651*, *659*, *661*, *693*
– as a function of magnetic field 1423
– transport 1477
Critical current density 1379, 1395, 1401, 1409, 1411, 1413, 1417, 1467, 1493, 1673, 1699; *415*, *613*, *615*, *689*
– influence of additives 1385
– intergrain 1395
– intragrain 1409; *649*
Critical dynamics 543, 563
Critical exponent 165
Critical field 1077, 1119, 1433, 1443, 1521; *599*, *627*
– anisotropy 469
Critical fields and currents *669*
Critical fluctuations in high-T_c 1447
Critical indices 215
Critical Kapitza resistance 557
Critical magnetic field *601*, *649*, *689*
Critical phenomena 191, 539, 563, 575

Critical point *551*
– size dependence behaviour 1195
Critical region 135, 591
Critical slowing down *517*
Critical state *665*
Critical state model 1379; *659*
Critical temperature 79, 491, 1157, 1469, 1475, 1513, 1699; *605*, *615*, *653*
– dependence on oxygen concentration 1555
– enhancement 1583
– shift of 591
Critical velocity 579, 653, 765
Cross-relaxation 231
Crossover 215, 957; *659*
– behaviour (two to three dimensions) 465; *299*
– between Cooper-pair and Bose–Einstein condensation 1039
– current 939
Cryocooler 159
Cryogenic instruments 147
Cryogenic thermal detectors *388*
Cryogenic thermometry 39, 293
Cryostat 153
– for rotation and transport 47
Crystal field 413; *501*
– effects *691*
Crystal growth 1673, 1679; *691*
Crystal structure 1557, 1677, 1685, 1687
– changes 1691
Crystalline electric field 421
Crystalline Si 7
Crystallisation waves *209*
$CsDy_{0.95}Eu_{0.05}(MoO_4)_2$ 465
$CsDy(MoO_4)_2$ 465
$CsMnBr_3$ 171
$Cs_2NaHoCl_6$ 915
CuCl 923
Cu^+ content *695*
Cu ferromagnet 1687
Cu ions 1317
$Cu_{1-x}Mn_x$ 457
CuMn 189, 459, 461
^{63}Cu NMR 481, 1295
^{63}Cu NQR 1309
$^{63/65}$Cu nuclear heat capacity 1345
CuO 1489; *631*
CuO_2-based superconductors 1129
Cu–O distance 1289
CuO_2 planes 1029, 1289
Cu–O pyramid 1227
CuO_2 sheet 1031
CuO_4 square planar groups 1687
Cu substitution 1543
Cumulant expansion 223; *593*
Cumulants *477*
Cuprate superconductors 991, 1257, 1325; *7*
– Fermi-liquid state 1553
Cuprates 1307
Curie–Weiss law 31
Current density 277
Current distribution 263
Current noise spectrum 839
Current path 1441
Current–voltage characteristics 931, 939, 945, 977, 1165, 1169, 1565, 1575, 1577, 1579
– superconducting branch 959
Cutoff parameter 679
cw NMR absorption 673
cw NMR linewidth 801
Cyclic ring exchanges 697
Cyclotron masses 339, 343

D_2 films *144*
d-wave
– pairing 1073
– pairing states 1077
– superconductivity 319
– superconductors 883
Damping 519
– nonlinear 683
Dark matter 317; *445*
– detection 5
DC 69
– standard of 61
DC flow 263
DC Josephson current 967
DC magnetic moment 1447
DC magnetisation curves 345
DC magnetisation measurements 349
DC-magnetron sputtering 1479, 1485; *667*, *675*
de Almeida–Thouless line 1153; *649*
de Gennes–St James oscillations 1621
de Haas–van Alphen (dHvA) effect 271, 321, 323, 327, 329, 331, 333, 335, 337, 339, 343, 875; *499*
Debye temperature 1283, 1335
Decay constant 151
Decay processes 495
Decimation of chain 213
Decoration technique 1179
Deformation potential 269
Degeneracy *603*
Degenerate electron gas 1033
Degenerate internal states 17
Degree of randomness 981

Delta-doped layers 853
Demagnetisation 827
Demagnetisation effect 1413
Demagnetising factor near H_0 1137
Density functional 719
Density functional approach 515; *537*
Density of states 259, 335, 659, 853, 873, 1065, 1073, 1077, 1307, 1617; *7*, *559*
– at the Fermi level 1349
Depinning *91*
Depinning current 1175
Depression of T_c 1289
Detectors 107; *447*
Deuterium 19, 161
– atomic 741; *541*
Deuterium–tritium mixture 163
Diagonalisation 399
Diamagnetic contribution 1311
Diamagnetic domain structure 205
Diamagnetic instability phenomenon *581*
Diamagnetic susceptibility 887
Diamagnetic transition, field-induced 891
Diamagnetism 845
– of superconducting ring *585*
Dielectric permeability 1269
Dielectric permittivity 25
Differential conductance 1615
Diffusely reflecting surface 657
Diffusion 645, 727, 1139; *91*
– barrier *673*
– Monte Carlo 531
– trajectories 809
Diffusion-welded copper sheets 53
Diffusivity 163
Digital bridge 141
Dilute magnetic alloys 41, 261
Dilute solutions of ^{4}He in ^{3}He *529*
Diluted magnetic alloys, dimensionality *285*
Dilution refrigerator 29, 43, 59, 235
– gravity-insensitive space application *457*
Dimensional crossover 477, 1167; *647*
Dimensionality crossover 1643
Dimensionless pairing interaction parameter *527*
Dimer 173
Dimer state 1025
Dimerisation 213
Dipolar energy 631
Dipolar interactions 215
Dipole field *625*
Direct interaction model 1033
Discrete electronic states 847
Discrete resistance fluctuation lifetimes 307
Disilicide 271
Dislocation glide 267
Dislocations 251
Disorder 185, 191, 279, 281, 999, 1117, 1637, 1643
Disorder-averaging 315
Disordered proximity coupled arrays 1643
Disordered systems 1045
Dispersion curve 493
Dispersion relation 663
Dispersion, anomalous 131
Displacement of oxygen O_4 1327
Dissipation 589, 615, 955, 965; *363*, *701*
Dissipation effect 959
Dissipative quantum dynamics 953
Dissipative systems 965
Dissipative tunneling 957
Divergence of correlation length 591
Domain 649
Domain wall 665, 1285
Domain wall phases *144*
Doppleron 255
Double-barrier superconducting tunnel junctions 1579
Double beta decay 1
Double Larmor frequency 919
Double nuclear demagnetisation 527
Double oxidation layer 1581
Double-well structure 797
Doubly polarised atomic hydrogen 745
Doubly quantised vortices 351
Dressed bosons 763
Dressed states 17
Drift effects 109
Drude fit 1255
Dwell time 981
DX centres 861
$DyBa_2Cu_3O_{7-x}$ 1505
Dynamic Coulomb interaction 313; *231*
Dynamic critical phenomena 539
Dynamic deformation processes 267
Dynamic frequency properties 41
Dynamic properties 907
Dynamic proton polarisation 743
Dynamic scaling 183
Dynamic simulations 1569, 1647
Dynamic structure factors $S(k,\omega)$ 499
Dynamic structure function 531
Dynamic susceptibility 409, 461
Dynamics *535*
– of flux penetration 1391
Dysprosium *469*

ECR ion source 1413

Edge channels, adiabatically transmitted 849
Edge currents 857
Edge dislocations 1139
Effective Hamiltonian 1005, 1013
Effective mass 1033, 1181
Effective mass model 1449
Einstein–Podolsky–Rosen theory 925
Elastic constants 369, 1283
Elastic moduli 1293
Elastic properties 421
Electrical properties 1495
Electrical resistance 1535
– in high-T_c superconductors *647*
Electrical resistivity 249, 435, 437, 445, 1201, 1351, 1403, 1511, 1519, 1523, 1537, 1545, 1555, 1665; *497*, *613*, *639*
– anomalous 291
– high pressure 1699
– of superconductors *657*
Electrodynamic properties 1253
Electromagnetic–acoustic transformation *469*
Electromagnetic environment 63
Electromagnetic response 371
Electromagnetic shielding 149
Electromagnetic wave 255
Electron beam
– collimation *355*
– lithography 753
Electron billiard *355*
Electron correlation 991
Electron crystallisation *328*
Electron distribution function 265, 855
Electron–electron interactions 253, 853; *559*, *561*, *629*
Electron–electron scattering 1267
– normal 249
Electron entrainment 267
Electron gas, two-dimensional 845, 859, 867, 871, 873, 875, 877, 881; *356*, *559*, *561*, *563*
Electron–hole correlation 269
Electron–hole symmetry breakdown 1087
Electron holography *410*
Electron–impurity interaction *483*
Electron–lattice interaction 1079
– nonlinear 1079
Electron localisation 1531, 1545
Electron paramagnetic resonance (EPR) 417
Electron phase breaking rates 863
Electron–phonon coupled modes 1241
Electron–phonon coupling 1055, 1057, 1337; *45*
Electron–phonon enhancement 1215
Electron–phonon interaction 253, 289, 917, 1083, 1085, 1259, 1261, 1589, 1699; *356*, *479*, *483*
Electron–phonon relaxation time *677*
Electron–phonon scattering, normal 249
Electron–phonon superconductor 1069
Electron pump *573*
Electron–ripplon scattering 843
Electron scattering 865
– mechanism 863
Electron solid *336*
– two-dimensional 879
Electron spectrum 205
– dielectrisation 1591
Electron-spin resonance 1315
Electron–strain interaction *495*
Electron surface states *519*
Electron systems, two-dimensional 841
Electron transport 251, 847, 1215
– adiabatic and ballistic *355*
Electron tunneling 1599, 1603, 1623; *705*
Electronic bubble 813
Electronic coefficient 1349
Electronic compressibility 1015
Electronic heat capacity 1341
Electronic spectrum 245
Electronic states 1005, 1023
Electronic structure 1229
Electronic technologies, new *400*
Electronic transport 233, 281, 1519
Electronics 95
Electrons 839
Electrons on helium 845
Electrostatic field effect 961
Elementary excitations 499, 503
Eliashberg equations 1069, 1073, 1077
Eliashberg theory 1071; *605*
Energy band structure 327
Energy barriers 757
Energy gap 481, 1567, 1595, 1603; *467*, *581*, *671*
Energy gap states, inhomogeneous 167
Energy mismatches 809
Energy sensitivity 81
Energy spectrum *559*
– of one-dimensional Bose system *591*
Enhanced nuclear spin system 523
Enhanced specularity 555
Entropy 577
Eötvös 93
Epitaxial films 1489, 1495
Epitaxial growth *675*
Epitaxial oriented growth 1477
Epitaxial $TBa_2Cu_3O_y$ 1413
Epitaxial thin films 1415
Epitaxial YBaCuO films 1217

Epitaxially sputtered YBCO films 1513
Epitaxy 601; *293*
EPR 1321
Equation of state 207
Equilibration rate 163
Equivalence principle 157
Erbium orthoferrite *473*
ESR 193, 1317
ESR pumping 743
^{151}Eu Mössbauer studies 227
EuS 467
EuS/Al bilayers 467
Exact mapping 985
Exact numerical diagonalisation 397
Excess conductivity 1371
Excess current *677*
Exchange 707, 821, 823
– coupled clusters 285
– effective fields 1321
– energy 835
– enhancement 1597
– Hamiltonian 831
– interaction 467, 713, 837; *621*
– models 821
– parameter 831
– pressure dependence *621*
Exchange-like integral 1009
Exchange-mediated p–d pairing 1007
Excitations 497, 1249
Excitons 869
– in silicon *382*
Exotic materials 1087
Expansion coefficient 643
Experimental study 887
Exploration geophysics 93
Extended dynamical systems *517*
Extended Hubbard model 1031
Extended s-wave 1073, 1077
Extended Ziman theory 1519
External magnetic field ($B<1$ T) 357
Extreme quantum limit 301, 843

f electrons 345
^{19}F isomer *625*
Facing targets sputtering 1481
Far infrared 1233; *563*
– reflectivity 1253
– spectra 1235
Faraday effect 1093
fcc structure *306*
fcc system 779, 797
$FeMnTiO_5$ 181
Fe_2P-type structure 435
Fe_2TiO_5 181
Fermi energy, edge at 1223
Fermi gas 725
– polarised 725
Fermi liquid 345, 643, 1001, 1221, 1295
– effect 643
– function 643
– model 643
– parameter 1597
– picture 1003
– regime 189
– theory 643
– thermal expansion coefficient 643
– two-dimensional 691
Fermi surface 271, 327, 331, 333, 335, 341, 343, 1055; *497*, *543*
Fermi systems, two-dimensional 701
Fermion ocean 719
Fermion theory, almost localised 691
Fermionic bath *531*
Ferroelectric phase transitions 1271
Ferroelectricity 1271
Ferromagnetic–antiferromagnetic interface 451
Ferromagnetic Co 453
Ferromagnetic exchange 709
Ferromagnetic properties 697
Ferromagnetic states 393
Ferromagnetism 397, 785
Field gradient 723
Field of irreversibility 1137
Film flow 599; *521*
Film flow rates 587
Film preparation 1491
Films 603, 719, 1133, 1387; *537*
– amorphous 1469
– as-grown 1481
– disordered 313
Finite range interaction 515
Finite size effects 123, 457, 543, 575
– universality 459
Finite size scaling 215, 535, 769
Finite system 135, 535
Finite temperature effects 977
First layer relaxation 695
First-order transition 225, 513, 1597
Fiske steps 103, 167, 1575, 1577, 1655
Floating head 87
Flow state 759
Fluctuations 815, 1053, 1097, 1125, 1365, 1367; *3*, *85*, *91*
– conductivity 1355, 1361

Fluctuations (*cont'd*)
– diamagnetism 1455
– effects 1197, 1277, 1373
– regime 1217
– theory 557, 1359
Fluid ^{3}He at low temperatures, normal 555
Fluid slip 555
Fluorescence EXAFS 295
Fluorination of YBCO *693*
Flux 1027; *585*
Flux creep 1131, 1145, 1161, 1175, 1177, 1363; *609*
Flux creep model 1397, 1417
Flux distribution 1387
Flux flow 1169, 1355, 1359, 1399, 1655
– thermally assisted 1169, 1273, 1275
Flux lattice 1097; *72*, *422*, *493*
– melting 1099, 1121, 1419
Flux line lattice 1167, 1171, 1273, 1425; *91*
– melting 1363
Flux lines 1117; *107*, *617*
Flux liquid *66*
Flux melting 1129
Flux motion 365, 1133, 1135, 1139, 1217, 1393; *80*
– effect of geometry 1393
Flux penetration 1391; *441*
Flux phase 1021, 1037, 1099
Flux phase states *587*
Flux pinning 1135, 1139, 1143, 1149, 1151, 1169, 1219, 1275, 1387, 1415, 1429, 1445; *121*, *667*
– properties 1305
Flux quantum 347
Flux states 987
Flux transport 1219
Flux trapping 113, 1437
Fluxoids *410*
Fluxon 1575, 1577, 1655
– array 1651
– pair 1613
– tunneling *575*
Focused acoustic beam 131
Forbidden transitions 919
Fountain effect pumps 129
Fountain pressure effect *363*
IV–VI semiconductor system *687*
Four-spin cyclic exchange 1263
Fourth sound 581, 637; *509*
Fractals 311, 583, 903, 907
Fraction of superconducting phase *627*
Fractional giant Shapiro steps 1645, 1647
Fractional quantum Hall effect *37*, *328*, *557*
Fractional quantum numbers *587*
Fraunhofer-like pattern *703*
Free energies 513
Free induction decay 675
Free vortices 767
Freezing 569, 577
– longitudinal 181
Frequency pulling 29
Frequency shift 561
Frustration effects 697, 1025, 1641, 1643
Functional integral form 393
Furrow 667
Fusion fuel 163

g-factor 1031
GaAs 873; *336*
– optical spectroscopy of *336*
GaAs–AlGaAs heterojunctions *557*
GaAs–AlGaAs heterostructure 859
Ga doping 1245
Gadolinium *469*
Gadolinium oxide 161
γ-rays 1; *439*
Gap
– equation 679
– mode 677
– parameter 1081
– spectroscopies *7*
– suppression 653
Gapless excitations 991
Gas flow-controlled technique 87
Gas thermometer 35
Gd 1315
$GdBa_2(Cu_{1-x}M_x)_3O_y$ 1315
$Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 1193
Ge film 1465
Generalised permutation 991
Geometrical acoustics 623
Geometrical limit 619
Geometrical resonances 1617
Germanium thermistors 1
Giant fluctuation 1363
Giant Shapiro steps 1571; *707*
– fractional 1645
Ginzburg–Landau 1453
– free energy 1125
– free energy functional 1095
– parameters 633
– theory 1105
– time-dependent equations 629
Glass capacitance sensors 25
Glass capacitance thermometer 525
Glass-like behaviour 1045; *91*
Glass structure 25

Glasses *316, 565*
Glassy crystal KBr:KCN *316*
Glassy phase 1121
Gradient expansion 989
Grafoil 551
Grain boundary 1395, 1409, 1421; *703*
– effects 1353
– low-angle 811
Grain demagnetisation fields *627*
Grains 1381, 1421, 1609
Granular effects *693*
Granular films 297, 1461
Granular high-T_c films 1375
Granular high-T_c superconductors *623*
Granular NbN *681*
Granular nickel 39
Granular superconductors 961, 965
Granular systems *663*
– conduction in 299
Granular thin film 1613
Granularity 1409, 1541
Graphite 601, 705, 921
Graphite fibres 585
Graphite intercalation compounds 885; *599*
Gravitational redshift 155
Gravity 565
Gravitygradiometers 93
Green function 985
– technique 831; *467*
Ground state 175, 1017; *587*
Ground state energy *585*
Growth dynamics *209*
Gyromagnetic gyroscopes 65

H_{FL} 351
H_2 films *144*
Half-integer disclination ring 627
Half-statistics Matsubara frequencies 985
Hall coefficient 1421, 1555; *639*
Hall conductance fluctuation 273
Hall conductivity 261
Hall effect 419, 857, 1093, 1203, 1511, 1543, 1545, 1549, 1559, 1663; *633, 635*
Hall measurements 1517
Hall voltage 871
Halogen insertion *693*
Hamiltonian system 117
Hard core gas 725
Harmonic potential approximation 959
Harper width *603*
Harris criterion 583
HD films *144*
^{3}He 121, 159, 529, 599, 613, 667, 705, 715, 719, 823, 837; *165, 170, 177, 197*
– adsorbed 699
– adsorbed on graphite 715
– B-phase of 633
– bcc *197*
– dilution refrigerator, model NS200 915
– ferromagnetism 699
– films 547, 591, 701, 707, 767; *177, 521, 539*
– – adsorbed 703
– – adsorbed second layer of 711
– – magnetic properties 701
– flow, pressure measurements 567
– flow state of 759
– fridge 753
– impurities on liquid ^{4}He *537*
– layers adsorbed on graphite 713
– magnetic behaviour *445*
– melting curve 31
– melting curve thermometer 33
– multilayers 709
– normal 645
– planar two-dimensional phase of 635
– polarised 733
– relaxation 695
– restricted geometry 689
– size effects in 647
– spin-polarised 735
– transiently polarised *445*
– two-dimensional solid 713
^{4}He 159, 583, 599, 757; *130*
– adsorbed 517
– bcc 811, 813
– boundary layer *529*
– clusters 531
– confined 535
– confined in porous glasses *135*
– coverage 637, 641, 695
– excitations in 495
– film flow rates 589
– films 585
– fluid and solid *553*
– gas, acoustic waves 115
– hcp 807, 813
– hydrodynamics 563
– restricted geometry 543, 575
– solid–liquid interface 805
– structure and excitations of 511
– superfluid density 535
^{3}He-A 625, 633, 663; *164*
– A_1 641
– – rotating 623

^{3}He-A (*cont'd*)
– A_2, rotating 631
– collective excitations in 625
– rotating 619, 621
^{3}He-B 649, 661, 663, 673, 675, 681; *164*, *525*, *533*
– collective excitations 867
– electric fields, influence on collective excitations 867
– rotating 669
– rotating vortex-free 671
^{3}He–^{4}He dilute solution 527, 723
^{3}He–^{4}He dilution refrigerator 47
^{3}He–^{4}He films 701
^{3}He–^{4}He hcp solutions 819
^{3}He–^{4}He interactions *190*
^{3}He–^{4}He mixtures 55, 121, 521, 537, 727, 817; *513*, *515*
– dilute 519
– films 689, 767; *539*
– polarised 731
– thermo-hydrodynamical properties *509*
^{3}He–^{4}He solutions 541, 721, 729; *190*, *543*, *547*
– polarised *190*
He II 129, 493, 499, 503, 757, 761, 775, 777
– adiabatic flow 759
– vortices and turbulence 749
Heat capacity 221, 465, 547, 551, 571, 577, 1353, 1511
– ^{3}He 699
– jump at T_c 1341
– of confined ^{4}He near superfluid transition *135*
– of $Zr_{1-x}Hf_xZn_2$ 203
Heat conduction 543
Heat exchanger 43, 129, 527
Heat leak 49, 527
Heat switch 49, 139
Heat transport 767; *204*
Heat treatment 899
Heating 1507
Heavy-electron system 327
Heavy electrons 421
– experiment 353
Heavy-fermion compounds 387, 643
Heavy-fermion superconductors 321, 323, 325, 355, 363, 365, 373, 385, 1051; *99*, *493*
Heavy-fermion systems 359, 415
Heavy fermions 321, 337, 341, 345, 347, 357, 367, 369, 375, 379, 383, 389, 391, 397, 407, 409, 413, 425, 427, 429, 431, 433, 437, 439, 441, 443, 447; *257*, *271*, *501*
– in two dimensions 411
Hedgehogs, symmetry 627
Heisenberg ferromagnet, two-dimensional 709
Heisenberg model 991
Heisenberg system 705
Helical antiferromagnets 243
Helium 533, 573; *455*, *507*
– -clusters 135; *519*
– confined 593
– crystals *209*
– films 689, 841; *539*
– – two-dimensional 767, 839
– in restricted geometry 597, 611
– thin films 509
– two-dimensional *539*
Helium-coated mirror 11
Helmholtz free energy 513
Helmholtz resonator 753
HEMT *453*
Heterogeneous phase 1053
Heterojunctions 873
Heterostructure 871; *459*
$Hf_{67}Co_{33}$ 1431
$Hf_{67}Ni_{33}$ 1431
High critical current 1667
High dimensions 401, 403; *277*
High field phase 833
High magnetic fields 43, 439, 639, 845, 1395; *559*, *561*
High oxygen pressure 1671
High pressure oxygen annealing 1663
High pressures *551*
High resistivities 283
High resolution thermometry *455*
High-silica zeolites 571
High-T_c (110 K) superconducting phase 1479
High-T_c Bi-system films *703*
High-T_c copper oxides 1189, 1529
High-T_c cuprates, two-dimensional 361
High-T_c electron superconductor 1155
High-T_c films *415*
– optically excited 1507
High-T_c granular films 105
High-T_c materials *637*
High-T_c oxides 1009, 1105, 1319, 1531
High-T_c sandwich junctions 1601
High-T_c single crystals 109
High-T_c superconducting cuprate 1251, 1363
High-T_c superconducting film 1501
High-T_c superconducting oxides 1027, 1137, 1199, 1249, 1397
High-T_c superconducting phase, stabilisation 1675
High-T_c superconductivity 69, 987, 993, 1001, 1013, 1047, 1089, 1093, 1109, 1135, 1201, 1211, 1239, 1259, 1263, 1271, 1295, 1301, 1309, 1383, 1389, 1393, 1485, 1491, 1543, 1663, 1677, 1679, 1766; *107*, *112*, *121*, *577*, *587*, *601*, *613*, *639*, *651*, *653*, *669*, *689*, *711*
– theory 995, 1099

High-T_c superconductors 85, 105, 107, 273, 393, 469, 989, 1003, 1015, 1031, 1041, 1051, 1059, 1065, 1073, 1075, 1077, 1083, 1085, 1097, 1119, 1123, 1139, 1151, 1153, 1175, 1177, 1181, 1183, 1203, 1209, 1213, 1221, 1233, 1235, 1237, 1261, 1267, 1273, 1275, 1277, 1279, 1281, 1299, 1305, 1317, 1329, 1333, 1337, 1339, 1343, 1347, 1353, 1359, 1365, 1367, 1401, 1411, 1423, 1437, 1441, 1443, 1445, 1451, 1497, 1511, 1553, 1565, 1605, 1613, 1623, 1651, 1681, 1691, 1697; *99*, *414*, *459*, *583*, *603*, *609*, *611*, *617*, *619*, *643*, *649*, *661*, *663*, *685*, *705*
– anharmonicity in 1079
– anisotropic *80*
– ceramics 1381
– electronic properties *51*
– magnetic properties 1319; *51*, *579*
– theory *17*
– wiring 143
High-T_c two-hole RF SQUID 1447
Higher harmonics *659*
Highly oriented pyrolytic graphite (HOPG) 921
^{165}Ho aligned single crystal target 153
$HoBa_2Cu_3O_{7-\delta}$ 1417, 1427
Ho-elphasolite 915
Hole binding *593*
Hole compensation, effect of 1553
Hole concentration 1529
– in [Cu–O] *685*
– relationship with T_c 1547; *685*
Hole donor reduction 1681
Hole doping 1547
Hole propagation *589*
Holes 1543
Holstein–Primakoff method *555*
Homodyne 2 mm ESR spectrometer 743
Homogeneously precessing domain (HPD) 671, 673; *533*
Homogeneously precessing spin domain 673
Hopping conduction regime 1
Hopping conductivity 317
Hot isostatic pressing 1699
Hubbard model 393, 401, 403, 411, 415, 691, 711, 1007, 1011, 1045; *277*, *587*
– theory 1047
– two-band 1011
Hybrid p–d pairing 1007
Hybridisation 437; *687*
– anisotropic 435
Hydrodynamic arguments 821
Hydrodynamic tricritical points 521
Hydrodynamics 645, 663, 823
Hydrogen 161, 569, 605, 913
– absorption 1529
– adsorbed 903
– atomic 743; *541*
– atoms focusing 11
– films 841
– spin-polarised *449*
Hydrogen–deuterium (HD) 803
Hyper-vortices 1609
Hyperfine enhanced nuclear spins 787
Hyperfine fields 1347
Hyperfine induced frequency-shift 19
Hyperfine interactions 921
Hyperfine magnetic fields 389, 425
Hysteresis 125; *627*, *641*
– curve 1401
– of magnetization 1103

ICl *453*
I_cR_n product 1565, 1611
I_cR products 69
Identical-particle spin rotation *543*
Identical spin rotation effect *547*
Imaging surface gradiometry 89
Imaging surface magnetometry 91
Immiscibility 567
Impedance 129
– frequency dependence 945
Imperfect-nesting charge density wave 1035
Implanted nuclei 921
Impure metals *483*, *629*
Impure nitrogen *451*
Impurity 1071
– band 1185; *687*
– ions *579*
– phases 1695
– scattering 265
– sites 1323
InGaAs-based heterostructures 1573
InSb 301, 851
In situ deposition 1603
In situ epitaxial growth 1473
In situ growth 1497
Incipient band structure 849
Incipient localisation 295
Incoherent tunneling 945, 951
Indirect exchange 713
– interaction of 6 kOe 1315
Indirect spin interaction *579*
Inductive current measurements 1385
Inductive measurements 1409
Inductive technique 1385
Inelastic neutron scattering 1237
Inertial confinement fusion (ICF) reactor targets 163

Infrared absorption 1257, 1259, 1261
Infrared anomaly 1259, 1261
Infrared reflectivity 1267
Infrared responsivity *681*
Infrared spectroscopy 1251
Infrared spectrum absorption 1243
Inhomogeneity 41, 565, 1655
Inhomogeneous media 311
Initial magnetisation 1441
Injected charges 813
Injected rotons 495
Instabilities 21, 229, 1055
Instrument materials 147
Insulating films *489*
Insulator–metal transition 1005, 1539; *551*
Insulator–superconductor transition *487*
Integer and fractional steps 1571
Interacting fermions, dilute gas of 1605
Interacting hole–spin model 1003
Interacting many-boson system 507
Interactions, anisotropic 1077
Interband polarisation function 1009
Interface 529, 641
– anomalous resistance 1627
– magnons 451
– model 1627
– of helium 805
– properties 863
Interfacial tension 567
Interfacing computers 141
Interference *483*
– of eigen-oscillations 763
– of electron waves 847
Intergranular irreversibility *655*
Intergrowth 1481
Interlayer coupling 1003
Interlayer interactions 1283
Interlayer transfer 1075
Intermediate state 613, 1471; *439*, *599*
Intermittancy 117
Internal angular momentum 617
Internal field *625*
International temperature scale 1990 (ITS-90) 35
Intra-layer interatomic bonding 1283
Intrinsic angular momentum 1095
Intrinsic flux pinning 1415
Intrinsic iner-layer pinning *619*
Ion and NMR measurements 621
Ion-implanted Si:As 317
Ion mobility 617
Ionic model 983
Iordanskii force 773
Irradiated quartz 901
Irreversibility 1149
– line 1115, 1141, 1147, 1153, 1155; *655*
– – thermodynamic properties 1115
– temperature 1145
Irreversible grain magnetisation curve *627*
Irreversible magnetisation 1429
Ising model 215
Ising systems 179
Isomer shift 1325
Isotope effect 1057, 1069, 1523
Isotopic shift for T_c 597
Isotropic scattering 261
Isotropic superconducting gap 1563
Itinerant electron magnetism 197
Itinerant magnetism 229
Itinerant model 327

Josephson arrays 1645
Josephson current 1165, 1627, 1633
– density *415*
Josephson effect 755, 937, 1389, 1641, 1651; *153*
Josephson junctions 69, 71, 73, 77, 101, 107, 755, 931, 941, 945, 951, 955, 959, 965, 971, 1109, 1111, 1177, 1383, 1569, 1571, 1573, 1575, 1577, 1609, 1611, 1629, 1645, 1647, 1655, 1661; *66*, *623*, *663*, *665*, *701*
– arrays 1569; *707*
– – classical two-dimensional 969
– clean 967
– current-biased 939
– intrinsic 105
– long junctions 1653, 1657
– noise thermometer 33, 111
– resonator coupled 1661
– self-pumped resonator coupled 1661
Josephson medium 1165, 1591
Josephson oscillation 763
Josephson parametric amplifier *432*
Josephson properties 69
Josephson structures *665*
Josephson tunnel junctions 103, 167, 947, 1581
– planar 73
– small 1649
– small-area 949
Josephson tunneling 949, 1075
Josephson-type effect 857
Josephson vortices *665*
Junction arrays 1127, 1571, 1643, 1647

KCl flux 1679
$KDy(MoO_4)_2$ 465
KNa, thermoelectric ratio 247

K_2NiF_4-type structure 1313
KRb, thermoelectric ratio 247
Kapitza resistance 523, 525, 527, 529, 533, 543, 557, 807
κ-(BEDT-TTF)$_2$Cu(NCS)$_2$ 889
Kapton foil 43
Kelvin probe 1605
Kinetic coefficients 1203
Kinetic equations 265, 725; *543*
Kinetic phenomena in metals *481*
Kinetic theory 773
Knight shift 1311; *643*
– compensated and uncompensated 305
Kondo alloys 41
Kondo behaviour *499*
Kondo cloud 397
Kondo compounds 443, 447
Kondo effect 391, 445, 455; *501*
Kondo lattice 329, 389, 397, 425
– compound 331
Kondo limit 409
Kondo scattering 359
Kondo systems 417; *475*
Kondo temperature 259, 261, 383
Korringa behaviour 1301
Korringa constant of Cu 789
Korringa relation 27
Kosterlitz–Thouless–Berezinskii (KTB) phase transition 1127
Kosterlitz–Thouless effect 1613
Kosterlitz–Thouless melting 879
Kosterlitz–Thouless superfluid transition 545
Kosterlitz–Thouless transition 767; *647*

$LaBa_2Cu_{3-x}M_xO_y$ (M=Ni and Zn) *683*
$(La_{1-x}Ba_x)_2CuO_4$ 1689
$LaBa_2Cu_3O_y$ *683*
$La_{2-x}Ba_xCuO_{4-\delta}$ 1289
$La_{2-x}Ba_xCuO_4$ 1345; *639*
$(La_{2-x}Ba_x)_2CuO_4$ 1349
$La_4Ba_2Cu_2O_{10}$ 1687
$(La_{1-x}Ba_{x-y}Sr_y)_2CuO_4$ 1689
$LaCu_6$ 341
La_2CuO_3 *45*
La_2CuO_4 1157, 1529, 1663; *621*, *631*
– PDS of 1085
$LaGa_2$ 339
$(La_{1-x}M_x)_2CuO_4$ 1261
$La_{1.85}Sr_{0.15}Cu_{1-x}M_xO_{4-y}$ *709*
$La_{2-y}Sr_yCu_{1-x}Ni_xO_4$ 1531
$(La_{1-x}Sr_x)_2CuO_4$ 1309, 1689
$La_{2-x}Sr_xCuO_{4-\delta}$ 1289
$La_{2-x}Sr_xCuO_4$ 1249, 1337, 1341, 1345, 1529
– optical spectrum 1183, 1249
– single-crystal acoustic properties 1285
$(La_{2-x}Sr_x)_2CuO_4$ 1299
$La_{1.85}Sr_{0.15}CuO_4$ 1201
$(La, Sr)_2CuO_4$ 1225
$La_{2-x}Sr_xNiO_{4+\delta}$ 1351
$(La, Sr)_2NiO_4$ 1225
$La_xSr_{1-x}TiO_3$ 1185
$La_{2-x}(Sr, Ba)_xCuO_{4-y}$ 1293
La-systems 1345
– physical parameters for 1019
$LaTiO_3$ 1185
Ladder arrays 1569
Ladder diagram 1009
Lambda point 557, 561; *455*
Landau *f*-function 643
Landau free energy 1293
Landau levels 845, 875
Landau number *517*
Landau parameters 691
Langevin equations 1163, 1569
Large amplitude spin waves 723
Large-d limit 415
Large hysteresis loop 1407
Large transverse magnetisation 723
Laser ablation 71, 1419, 1609
Laser cooling *436*
Laser deposition technique *645*
Laser-driven switch 113
Latency time *26*
Latent heat 551, 569
– of mixing 817
Lattice
– dynamics 1085, 1235
– instability 1283, 1291
– parameters 1681
– triangular 711
Lattice gas model 711
Laves phase compounds 193
Lawrence–Doniach theory *647*
Layer structure 1359
Layer thickness 163
Layered copper oxide superconductors *45*
Layered cuprates 1239
Layered dichalcogenide compounds 361
Layered molybdates 465
Layered superconductivity 1067
Layered superconductors 1101, 1105, 1175; *599*
Layered superlattice structures *577*
Leggett–Rice effect 681; *547*
Level crossing 953

LiMg, thermoelectric ratio 247
$Li_{1+x}Ti_{2-x}O_4$ 1599
Lifshitz points 215
Linear motors 55
Linear Pt thermometer 633
Linear response 259, 261
Linearised augmented plane wave (LAPW) 1057
Linewidths 1587; *555*
– frequency dependence of 1315
Liquefying hydrogen 159
Liquid ^{3}He 517, 523, 525, 567, 643, 733, 737; *531*
– droplets 647, 817
– polarised 45, 737; *445*
– spin-polarised 139
– thermalisation time *445*
– thin films 715
Liquid ^{4}He 485, 495, 515, 807; *130*, *505*
Liquid helium 133, 507, 557, 843, 845, 879, 881; *539*
– (l-^{4}He) walls *541*
Liquid N_2 165
Liquid phase epitaxial method 1501
Liquid–solid interface 807
Liquid–vapour critical point 165
Liquid–vapour interface *507*
Lithographical patterning *675*
Local density approximation (LDA) 327
– self-interaction correction 275
Local density of states *467*
Local environment 1697
– effect 193
Local pair superconductor 1045
Localisation 281, 303, 839, 855, 1457, 1463, 1539, 1639; *238*, *491*
– correlation length 297
– of excitations 1107
– theory 315, 937
Localised states 1511; *637*
Localised superconducting states 1515
Localised-type ferromagnet 1687
Logarithmic creep 151
London moment 1181
London penetration
– depth 1181, 1253
– function *655*
London superconductors, anisotropic 1101
Long Josephson junctions *575*
Lorentz force *617*
Low carrier concentrations 1517
Low carrier Kondo system CeAs *497*
Low-dimensional conductors 893
Low-dimensional spin systems 975
Low-energy excitations 185, 191, 893, 1269
Low-field flux creep 151
Low-frequency AC shielding 149
Low-frequency impedance 1269
Low-frequency noise 1375, 1405
Low magnetic field 1381
Low pressures 613
Low spin–high spin transitions 229
Low-temperature
– bake-out 155
– deformations 1515
– irradiation 1467
– measurement 25
– orthorhombic (LTO) phase *639*
– properties of solids 185, 251, 353
– radiation *711*
– research in space *408*
– scanning electron microscopy (LTSEM) 167
– scanning tunneling microscopy (LT-STM) 1563; *465*
– structural phase transition *639*
– superconductor 1167
– tetragonal phase 1349, 1689
– twinning 267
Low temperatures 27, 361, 417, 793, 813
Lower critical field 345, 1051, 1101, 1105, 1153, 1441, 1447; *583*, *615*, *695*
Luminescence *382*
– spectroscopy *285*
Lyapunov exponent 67, 117

Macroscopic quantum behaviour 925
Macroscopic quantum circuits *400*
Macroscopic quantum effects 937, 951, 955
Macroscopic quantum interference 1459
Macroscopic quantum phenomena *513*
Macroscopic quantum properties 941
Macroscopic quantum tunneling (MQT) 757, 931, 959; *26*
Macroscopic variable 959
Madelung site potential 983
Magnet levitating 117
Magnetic anisotropy 1445
Magnetic character 1407
Magnetic coupling 523, 527
Magnetic dipolar interaction 221
Magnetic domains 225
Magnetic field 205, 613, 879, 881; *368*
– dependence 633, 1411; *661*
– dependence of the Hall voltage 1189
– influence on collective excitations in ^{3}He-A 625
– up to 1 T 623
Magnetic flux
– pinning 1149

Magnetic flux (*cont'd*)
– quanta *585*
– quantised *410*
– sensors 97
Magnetic freeze-out 301
Magnetic heat capacity 465
Magnetic heavy fermions 435
Magnetic hysteresis 181
Magnetic impurities 455, 1047, 1075
Magnetic Kapitza resistance 523
Magnetic moment *609*
Magnetic order 225, 227, 427, 1157, 1187, 1321, 1323, 1345, 1347
Magnetic ordering, off-diagonal *153*
Magnetic penetration depth 1197, 1397, 1447
Magnetic phase diagram 169, 171, 797, 831, 1153, 1155; *469*
Magnetic phase transition 197
Magnetic phenomena 217
Magnetic polaron 1029, 1189
Magnetic reentrant behaviour 463
Magnetic relaxation 109, 681, 1131, 1133; *615*
Magnetic resonance 741; *541*
Magnetic ringing *525*
Magnetic scattering 863
Magnetic semiconductors 235
Magnetic shielding 87
Magnetic spins 1345
Magnetic springs 93
Magnetic structure 711
Magnetic–superconducting phase diagram 1529
Magnetic superconductors *691*
Magnetic susceptibility 23, 147, 221, 435, 437, 439, 447, 819, 1143, 1441, 1511, 1533, 1557, 1559; *306*, *499*, *653*
– AC complex 1397
– anisotropic 1455
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1455
Magnetic thermometer 35
Magnetic transitions 825
Magnetic viscosity 65
Magnetisation 193, 325, 339, 423, 443, 445, 719, 725, 833, 891, 1115, 1141, 1147, 1157, 1389, 1391, 1407, 1413, 1427, 1435, 1439, 1451, 1453; *585*, *611*, *651*, *653*, *661*
– curve 1137
– DC 1379, 1677
– dimpling 1401
– experiments 433
– loops *693*
– measurements 1417, 1681
– of superconductors *657*
– oscillations 875
– staggered 175
– static 709
Magnetism 185, 191, 233, 321, 335, 403, 411; *293*
– and heavy fermions *271*
– disordered 183
– low-dimensional 449
– rare earth 449
– two-dimensional 705
Magneto-elastic coupling 171
Magneto-encephalography 97
Magnetoconductance 845, 1189; *491*
Magnetoconductivity 301
Magnetometers 83
Magnetoresistance 39, 287, 293, 297, 299, 331, 333, 359, 419, 843, 857, 863, 867, 871, 917, 1423, 1537, 1549, 1569; *645*
– measurements 1365
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1159
Magnetoresistivity 429, 431, 1355
– high field 419
Magnetostriction 179, 321
Magnetovolume 229
Magnetron sputtering 1417
Magnon 1263
– diffusivity *204*
– modes 451
Magnus effect 617
Many-band system 1083
Maser
– deuterium 19
– hydrogen 21
Mass enhancement *593*
Mass flow rate 129
Maxon-roton 487
Maxons 501
MBE 1497
McMillan equation 1469
Mean field 799, 999
– approximation 393, 515
– superconducting 1639
– theory 401, 1367
Mean free path 265
Meissner effect 887, 1143, 1157, 1335, 1435; *585*, *601*, *607*, *693*
Meissner fraction 1145
Melting 551, 569, 577, 879
– curve 35, 529
– of vortex lattice 1169
– point *553*
– pressure 825, 827
– two-dimensional 1121
Melting/freezing waves 601

Mesoscopic copper rings *245*
Mesoscopic devices 861
Mesoscopic length scales 857
– finite curvature on 555
Mesoscopic normal-metal rings *244*
Mesoscopic normal tunneling current 981
Mesoscopic regime 865
Mesoscopic surface roughness 555
Mesoscopic system 279
Mesoscopic tunneling current 981
Metal clusters 1461
Metal/high-T_c superconducting composite 149
Metal–insulator–metal tunnel junctions 307
Metal–insulator transition 235, 285, 297, 301, 305, 309, 311, 317, 1225, 1251, 1511, 1531; *223*, *489*
– thermodynamic and transport properties *223*
Metal–nonmetal transition 1223
Metal–semiconductor transition 1677
Metal–superconductor–insulator transition 1683
Metallic CDW states 1035
Metallic glasses, acoustic properties 895
Metallic hydrogen *551*
Metallic junctions 975
Metallic oxide 1251
Metallic state 1341
Metallic thin films 217
Metallo-oxide 1041
Metals 205, 251, 255, 905, 1589
– amorphous 233, 289, 1215
– – three-dimensional 287
– containing quantum defects *481*
– disordered *231*
Metamagnetic behaviour 443
Metamagnetic transition 237, 433, 439; *271*
Metamagnetism *257*
Metastable domain state 211
Metastable phase 541
Metastable state 669
Methane physisorbed 609
Methyl rotor *569*
$Mg_{70}Zn_{30}$ films 289
Micro-pivots 93
Microbridges 1617
– of BiSrCaCuO films 1607
Microkelvin temperatures 651; *453*
Microscopic models *17*
Microstructural defects 1195
Microstructural observation 1673
Microstructure 291, 1671, 1693
Microwave 9, 279, 1633
– emission 105
– enhancement *629*
– frequencies *432*
– magneto-absorption *623*
– magnetotransmission *627*
– response 69, 73, 1197
– trap *449*
Microwave conductivity, size dependence 1195
Microwave-driven plasma resonance 1649
Mid-gap states 1221, 1225
Mixed s–d pairing 1037
Mixed state 1105, 1173, 1425; *107*
Mixed valence 219
Mixed-valence systems 415
Mixing effect 1691
$Mn(COOCH_3)_2{\cdot}4H_2O$ 177
Mobile carrier concentration *627*
Mobile vacancies 213
Mobility 871; *531*
– of ions 505
Mode assignment 1261
Modified wave equation 565
Modulation 1693
Molecular orbitals 1011
Molecular tunneling *569*
Molybdenum *463*
Momentum transfer *529*
Monolayer 599
– CuO_6 octahedra 1529
Monopole 627
Monte Carlo simulations 211, 215, 975, 1015
Monte Carlo variational 411, 1021
Mössbauer effect 1325
Mössbauer spectroscopy 1323
Mössbauer studies at high pressure 197
Mott transition 309, 403
$\mu_0 H_{c1}(T)$ *615*
Multi-magnon process *555*
Multichannel magnetometer 95
Multicritical behaviours 215
Multicritical point 169
Multifractal phase transition 1659
Multifractal spectrum 1659
Multijunction clusters 105
Multilayers 457, 459, 477, 479, 481, 1465; *299*
– superconducting *121*
Multiphonon 501
Multiple exchange interactions 825
Multiple spin echoes *547*
Multiple spin exchange 713
Muon spin relaxation *99*
Muon spin rotation (μSR) *583*
Mutual friction force 773

NaCl 911
Nanokelvin temperatures 785
Nanostructures *355*
Narrow-band electron systems 1087
Nb 79, 145, 457, 1573; *445*
– gravitational radiation antenna 9
– thin films *671*
– wires 151
Nb/Al-oxide/Nb 77
Nb/(Al, AlO_x)(/Al)/Nb 1581
Nb-based binary amorphous alloys 1469
NbC 295
NbCN thin films *671*
Nb–Cu 481
Nb-doped $SrTiO_3$ *459*
Nb_3Ge films 1171
NbN *465*
NbN–MgO–NbN tunnel junctions 75
$Nb_{1-x}Ni_x$ 1469
Nb–Ni amorphous alloy 1469
NbTi wire 151
NCA 405
$Nd_{1+x}Ba_{2-x}Cu_3O_{7+y}$ 1549
$Nd_{2-x}Ce_xCuO_{4-y}$ 1155, 1291, 1537, 1665
$Nd_{2-x}Ce_xCuO_4$ 1265, 1509
$Nd_{1.85}Ce_{0.15}CuO_{4-y}$ 1535
$Nd_{1.85}Ce_{0.15}CuO_4$ *635*
Nd_2CuO_4 1331
$Nd_2CuO_{4-x}F_x$ 1331
Nd_2CuO_4-type tetragonal (T′) structure 1155
(Nd, Sr)CoO_3, optical properties 1251
Nearly metamagnetic model 733
Nearly solid liquid 693
Néel temperature 383, 1529; *695*
Negative energy correlation 1089
Negative ions 617, 621, 757; *531*
Negative-*U* model 1047
Nernst effect 1217, 1219
Networks *663*
– disordered 1643
– of small capacitance tunnel junctions *32*
Neurogradiometer 97
Neutron
– diffraction 225, 779, 781, 783, 1187, 1247, 1509, 1511, 1685, 1687; *306*, *505*
– diffractometer *457*
– inelastic scattering 501
– irradiated quartz 899
– irradiation 1467
– linewidth 495
– scattering 153, 387, 409, 487, 997, 1237; *58*, *107*, *501*
New Doppler wave 255
New narrow band 1005, 1023
New transport equation 259, 261
New-type mutual friction force 759, 771
Ni substituted YBCO 1697
Niemeijer–Van Leeuwen method 223
NMR 29, 649, 655, 665, 671, 675, 695, 707, 721, 725, 737, 739, 745, 787, 803, 833, 919, 1077, 1307; *51*, *190*, *204*, *475*, *533*, *555*, *569*
– in UPt_3 and U(Pt–Pd)$_3$ 381
– modes 703
Noble metals 1627
Nodes in energy gap 613
Noise 67, 191, 1375
– measurement 1363
– peak 1405
– performance 75
– power spectrum 79
– spectral density 1165
– squeezing *432*
– thermometer 31
Non-wave-like mode 565
Noncopper oxides 1599
Nonequilibrium hot-dectron transport 1507
Nonequilibrium magnetic behaviour *655*
Nonequilibrium phase transition *517*
Nonequilibrium states 537
Nonequilibrium superconductivity 1583; *443*
Nonlinear conduction 1419
Nonlinear effects 723
Nonlinear integral equations 513
Nonlinear mechanical properties 125
Nonlinear patterns *517*
Nonlinear phenomena 131
Nonlinear reponse 279
Nonlinear two-fluid hydrodynamics 539
Nonlinearity 255, 603
– of liquid helium spectrum 507
Nonmagnetic impurities 999
Non"normal Fermi liquid" 1263
Nonphonon mechanisms 1007
Nonresistive collision 249
Nonstationary properties *679*
Normal solution 513
Normal state 1003
– magnetism 1183
– properties 1535
– resistivity 1199
Normal–superconductor interface 1615
Normal–superconductor point contacts 1615
Normal zone propagation *461*
Normalised specific heat slope at T_c 319
Nozzle expansion 135

NsO gas 1483
Nuclear antiferromagnetic phonons 781
Nuclear cooling stage 53
Nuclear demagnetisation 49, 51, 139, 837
– of $AuIn_2$ 791
Nuclear magnetic relaxation *643*
Nuclear magnetic susceptibility 691, 693, 715
Nuclear magnetic systems 783
Nuclear magnetism 51, 785, 835, 837; *306*
– in $AuIn_2$ 791
– of ^3He 699; *177*
– resonance in $AuIn_2$ 791
Nuclear order 779
Nuclear ordering transition 833
Nuclear orientation 921
Nuclear-polarised bodies 157
Nuclear quadrupole resonance (NQR) 27, 793, 1297, 1299, 1303, 1307, 1313; *453*
– of ^{63}Cu 1305
Nuclear spin–lattice coupling of Cu 789
Nuclear spin–lattice relaxation time 1299
Nuclear spin relaxation 1313
Nuclear spins 793, 797, 799
– ordering 787, 795, 915
– polarisation 745
– relaxation 1077
Nuclear target 153
Nucleation 139, 537, 541
– of vortices 579
Numerical diagonalisation 1025
Numerical simulation 1177
Nusselt number 521

Oblique depositions 79
Offset charging 973
Ohmic behaviour 1575
One-dimensional channels 571
One-dimensional conductor 1025
One-dimensional crystal 847
One-dimensional electron interferometer 847
One-dimensional magnet 237
One-dimensional materials 891
$1/f^{\alpha}$ 1377
$1/f$ magnetisation noise 65
$1/f$ noise 1165, 1375
$1/f$-type spectrum 1377
One-phonon processes 809
1, 2, 3 phases 1495
Optical absorption 605
Optical conductance *121*
Optical conductivity 1029, 1249
Optical measurement 1255
Orbital motions 117
Orbital splitting 1031
Order–disorder transition *144*
Order parameter 361, 1371
– singularity 627
– superconducting *699*
– symmetry *7*, *699*
– unconventional 1095
Organic superconductors 883; *99*, *368*, *372*
Orientation-dependent enhancements 1415
Orifice 765
Ortho hydrogen 745
Ortho–para conversion 913
Oscillation condition 21
Oscillations 129, 589; *549*
Oscillator, microwave frequency stability 145
Osheroff–Cross–Fisher (OCF) equation 703
Oxidation 903
Oxide ceramics 1691
Oxide magnetic superconductors 1191
Oxide superconductivity 1689
Oxide superconductors 1005, 1007, 1023, 1067, 1263, 1287, 1561; *621*, *685*
Oxygen
– annealing 1543
– content 1545, 1559, 1667; *683*
– deficiency 1537, 1665
– impurity *451*
– isotope effect *697*
– ordering 1557; *683*
– 1s core level 1227
Ozone 1497

p–d mixing model 1005, 1023
p-H_2/graphite 607
Pair breaking 127, 1543; *695*
– edge 661
– effect 1547
Pair correlation function *505*
Pair–pair correlation 1011
Pair potential 1619; *467*
– variation of 1563
Pair theory 513
Pair-transfer interaction 1009
Pairing 1055
– interactions, anisotropic 1063
– mechanism 995
– unconventional 367
Paracoherence 1403
Paraconductivity 1881, 1878m
Parahydrogen 913

Parallel upper critical field 477
Paramagnetic excitations, self-pumped 103
Paramagnetic salt *455*
Paramagnetic susceptibility, static *527*
Parametric amplifiers 107
Parametric transducer 9
Partial Debye temperature 1327
Partial substitution of Ni, Zn and Ga for Cu 1665
Partially-gapped superconductor 1591
Particle detection 5, 303; *443*
Particle–hole symmetrisation operator 985
Patterning 1477
$PbMo_6S_8$ 1131, 1409, 1521
$Pb_2Sr_2Eu_{0.3}FCa_{0.7}Cu_3O_{8+z}$ 1325
$Pb_2Sr_2RECu_3O_8$ 1307
$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ 1555
PdFe films 463
PdNi, magnetic properties 195
Pd_2Si 271
Peak effect 1381
Peierls model 1035
Penetration depth 377, 1389, 1453; *583*
– frequency dependence 371
Percolating superconducting films 1459
Percolation 281, 311, 1643, 1669
– theory 1031
Period doubling bifurcations 1661
Periodic Anderson model *277*
Periodic confinement 849
Periodic potential 867
Permanent magnet 1379
Perpendicular resistance 453
Persistent currents 151, 1393; *244*, *245*
Perturbation series 1125
Perturbation theory 403, 1013, 1585
Phase 110 K 1373
Phase 80 K 1227, 1501
Phase boundary 419
Phase coherence 753, 865, 965
Phase coherence length 297
Phase diagram 337, 351, 357, 781, 825, 827, 1293, 1663, 1679
– of bcc ^{3}He *197*
Phase-driven current 857
Phase factors 1027
Phase fluctuations, two-dimensional 1641
Phase locking 935
Phase quantum tunneling (PQT) 961
Phase-relaxation time 1361
Phase segregation 815
Phase separation 517, 819, 1509
– under pressure 817
Phase slip 753, 755; *535*
– centres 629, 1659; *679*
Phase transitions 215, 325, 367, 401, 541, 627, 783, 827, 955, 1117, 1533, 1685; *599*
– field-induced 173
– two-dimensional 1109
Phonon 207, 487, 497, 503, 877, 907, 1057, 1073
– acoustic 873
– and ionisation 3
– conductivity spectroscopy *377*
– damping 757
– detectors 3
– dispersion 923
– emission *563*
– emission spectrum *377*
– frequency, optical 1327
– frequency spectra 911
– high energy 495
– imaging 877
– induced conduction thresholds *377*
– interactions 495, 1203
– – with two-level systems (TLS) *565*
– lifetimes *130*
– mean free path 909
– nonthermal *447*
– optical 1239, 1259
– phenomena *443*
– scattering 131, 757
– – non-parabolic 851
– spectra 1237
– squeezed state 1083
– structures 1567
– wind *382*
Phonon-assisted macroscopic quantum tunneling (PAMQT) 959
Phonon–roton cross-section 495
Photoemission 1081, 1221
Photoemission spectroscopy 1225; *112*
Photoluminescence, intrinsic band gap *336*
Photon-assisted tunneling steps 167
Photons *681*
Physisorption *144*
Picosecond optics *285*
Piezolectric polyvinylidene fluoride (PVDF) film 667
Pinch effect 277
Pinning 811, 1121, 1123, 1161, 1175, 1273, 1399, 1409, 1425; *66*, *85*, *601*, *613*, *615*, *689*
– centers 1409; *617*
– energies 1219
– force 1379
– two-dimensional 1171
Planar lattices 223

Planar-oxygen 1243
Planar state *527*
Plasma
– edge 1255
– oscillations, theory of *577*
– reflection 1255
– theory *577*
– waves 505
Plasmon-mediated mechanism 1049
Plasmons 1049
– acoustic 1049
Plastic 43
– deformation 1171
Platinum compounds 891
Platinum NMR-thermometer 31
Point contact *479*
– spectroscopy 911, 917, 1589
– tunnel junctions 63
Point defects 999
Poiseuille flow 759
Poiseuille flux 555
Polarisation 729, 737
Polarised systems 725; *547*
Polarons 891, 1041, 1517
Polycrystalline molybdenum *463*
Polycrystalline superconductors 1383
Polycrystalline $YBa_2Cu_3O_7$ 1387
Pores 577
Porous alumina, ultrasonic dissipation measurements 573
Porous glasses 545, 567
Porous media 549, 569, 573, 581, 637
Porous membrane 663
Porous silicon 609
Positive curvatures of $H_{c\|}$ 477
Post-annealing 1501
Potassium 249
Potential well *571*
Potts model *551*
– three-state *144*
Powdered CMN thermometer 33
p_π, p_σ^* bands 1009
PQT effect 937
Pr 405
$PrBa_2Cu_3O_y$ 1547
Pressure 551, 577, 835
– effect 1541
– effect on T_c 983
– gauge 615
– gradients 615
Process techniques 123
Projection technique *477*
Propene gas 59
Proton polarisation 743
Proximity 1631
– effects 219, 467, 1115, 1119, 1135, 1141, 1573, 1617, 1625, 1631
– junctions 1633
Proximity-effect junctions 1629
Pseudo-Jahn–Teller effect 1031
Pseudopotential (pp) 207
Pseudospin formulation 1043
ψ-theory 591, 593
^{195}Pt 381
Pulsed high magnetic field 237
Pulsed NMR 729
– in ^3He *525*
– methods 723
Pulsed NMRON 177
Pulsed output power 21
Pump oil 59
Pure nitrogen *451*

Quadrupole
– coupling constant 1325
– interaction 921, 1333
– resonance 717
– transition *701*
Quality factor *571*
Quantisation in units of $h/2m_3$ *523*
Quantum adiabatic transport 849
Quantum chemical calculations 1017
Quantum conductance 1587
Quantum crystals 803, 809
Quantum defects *481*
Quantum diffusion 809
Quantum electron liquid, two-dimensional *328*
Quantum energy levels 947
Quantum evaporation 493, 495; *130*
Quantum fields 51
Quantum fluctuations 965; *513*
– of charge 977
Quantum fluids 47, 503, 689
Quantum flux state, correlation of states 113
Quantum glass 693
Quantum Hall effect 857; *355*, *363*, *561*, *587*
– fractional *336*
– integer *336*
Quantum Heisenberg system 175, 449
Quantum interference 857
– effects 299
– pattern *703*
Quantum kinks 601, 807

Quantum liquids 571
– and gases 737
– and solids 597, 611, 805
Quantum magneto-oscillations 361
Quantum Monte Carlo method 1011, 1017; *701*
Quantum oscillations 269
Quantum point contacts 847
Quantum reflection 15
Quantum resistance *487*
Quantum size effects 715
Quantum solid 827, 829, 835
Quantum spin glasses 209
Quantum spin liquid (QSL) state 1027
Quantum susceptance 1587
Quantum transport theory 845
Quantum tunneling 541, 803; *513*, *571*, *575*
Quantum wells *285*
– and dots 927
Quasi-crystalline network 1637
Quasi-crystalline phases 283
Quasi-crystals 187, 283
Quasi-one-dimensional conductor 887
Quasi-one-dimensional magnetic insulator 169
Quasi-one-dimensional systems 171, 883
Quasi-two-dimensional systems 177, 595
Quasiclassical boundary conditions 657
Quasiclassical equations 659
Quasiclassical theory 755, 1095
Quasilocal impurity states *687*
Quasiparticles 651, 1001, 1055
– ballistic propagation *699*
– damping 1267
– dissipation 975
– excitations 1065
– pairs of 501
– response function 1587
– scattering 683
– tunneling 1583
Quasiperiodic regime 1657
Quasisoliton solution 1575
Quench and melt growth (QMG) 1673
Quench condensation *487*
Quench dynamics *461*
Quenching 857
– effects *685*

$R_{2-x}Ce_xCuO_{4-\delta}$ 1265
R^+ rotons 495
Radiation defects, annealing *711*
Radiation disordered 1511
Raman active modes 1057
Raman scattering 235, 1029, 1231, 1263; *621*
Raman spectra 485, 503, 1241
Raman spectroscopy 1245, 1247
Random exchange 179
Random field 179
– systems 211
Random magnetic systems 179
Random matrix theory *491*
Random strains *579*
Random surface 855
Random telegraph signals 307
Random walk 809
Rapid operation 47
Rapid thermal melt quenching technique *649*
Rare earth 1551
– compounds *691*
– metal oxide 1313
– metals 245
– trifluoromethanesulfonate nonahydrates 221
Ratio $2\Delta/kT_c$ 1599
Rayleigh number 521
Reactive ion etching 483
Reactive sputtering 1489
Real squashing mode (RSQ) 667; *164*
Recombination *541*
Recovery processes *711*
Redistribution 163
Reducing atmospheres, effect of *635*
Reentrant cavity transducer 9
Reentrant spin glass 183
Reentrant transition 1597
Reference point *451*
Reflectivity 1233, 1255, 1267
– measurements 1251
Refrigerator 159
Registered phases on graphite 699
Registered solid phase 693
Relativistic APW method 327
Relaxation 211, 675, 1137, 1507; *475*, *607*, *609*
– rates 481, 553, 1295, 1309
– – distribution 897
– times 251, 725, 793, 819, 823, 1269
Relaxational heating *445*
Remanent magnetic field 1305
Remanent magnetisation 147, 189, 211
Renormalisation 315
– group 449, 543, 563, 575
– – real-space 223
Renormalised field theory 559
Replica symmetry breaking 209
Reproducibility *451*
Resistance 263; *66*
– anomalous behaviour 1191

Resistance (*cont'd*)
– sensors 39
– threshold 1457
– transition 1169
Resistive state *677*
Resistive transitions 1359, 1637; *645*
– broadening under magnetic field 1363
– onset of 1525
– width 1405
Resistively shunted junction (RSJ) model 71, 1585, 1611, 1629
Resistivity 143, 189, 311, 339, 447, 1361, 1493, 1517, 1533, 1539, 1557, 1559, 1677; *613*, *633*
– anisotropic 413, 1159
– anomalous 1185
– DC measurements 1199
– microwave measurements 1199
– negative temperature coefficient of 1469
Resistor–capacitor shunted junction (RCSJ) model 1649
Resonance 259, 849, 1319
– longitudinal 743
– nonlinear 1649
– scattering *687*
Resonant dynamic modes of junction 167
Resonant frequency 1587
Resonant impurity scattering 371
Resonant scattering 219
Resonant tunneling 931, 949
Resonator *521*
Resonator-induced steps 103
Response function 487
Restricted geometries 135, 549, 629
RF 1629, 1645
– flux penetration 1427
– modulation 1611
RF-induced constant-voltage steps 167
RHEED observation 1593
Rietvelt analysis 1691
Rigid-ion model 923
Rigidity percolation *567*
Ripplons 505
RKKY 193, 713
– exchange 701
Rotating millikelvin cryostat 57; *523*
Rotation 55, 765
Rotational transitions 605
Roton-like excitations 289
Roton–roton interaction 503
Rotons 495, 497, 501, 551, 569
– emission 757
– energy 485
– interactions 495
– lifetimes 485; *130*
– width 485
Roughening transition *209*
RVB 175

s–d exchange interaction 259, 261
S-matrix 17
s-paired Fermi systems, two-dimensional *581*
s pairing 1037
Saddle point 393
Sapphire 145
Sb *453*
Sc metal 795
Scaling 311, 535
– predictions 591
Scandium 793
Scanning electron microscopy (SEM) 1695
– at low temperatures *415*
Scanning tunneling microscopy (STM) 241, 1505; *422*
Scattering 497, 855
– amplitudes 1033
– cross-section *130*
– integral 265
– of atoms 15
– processes 493
– rates 253
Schottky anomaly 221, 285, 1339
Schottky barrier 1573
Screen printing technique 1499
Screening 313, 869
Second layer solid density 713
Second-order phase transition 1115, 1141, 1147
Second-order transition 513
Second sound 519, 537, 539, 561, 565, 581, 663, 777; *217*
– damping 539
– velocity 539
Second transition 1051
Self-consistent *P*-solutions 513
Self-consistent renormalisation approximation 1039
Self-diffusion coefficient 913
Self-energies 259
– of holes 1003
Self-heating 163
Self-induced steps 103
Self-magnetic field 263
Self-organised criticality 211
Self-radiation 1609
Semi-quantum liquid state 571
Semiconductivity 1489
Semiconductor-coupled superconducting junction *467*

Semiconductors 303, 851, 1539, 1573; *377*
– diluted magnetic *285*
– doped 865, 1315
Semimetals 27, 269
Sensing coils 95
Sensitive AC technique 1369
Separation ratio 521
Series-array voltage standard 101
SET-oscillations 63
Shape effect (SE) 257
Shapiro steps 167, 1571, 1585, 1629, 1633, 1647; *707*
Shear modulus *619*
Shear viscosity 563; *509*
Shear wave velocity 349, 423
Shielding 1391
Short range spin-correlation, two-dimensional 1183
Shubnikov–de Haas effect 871; *497*
Si inversion layers *561*
Si–Nb proximity system 1619
Si:P 285, 305
Si:(P, B) 305
Sigma-model, nonlinear 315, 989
Signal processing 109
Silica aerogels 549, 903, 907
– thermal properties 903
Silicon 125, 853
– MOSFET *559*, *563*
– nitride 753
Silver 525, 785
Simulations 1661
Sine-Gordon equation, static perturbed 1653
Sine-Gordon-like equation 1657
Single crystals 1151, 1207, 1231, 1249, 1319, 1361, 1369, 1371, 1445, 1539; *465*, *609*, *613*, *651*, *653*, *689*
– $La_{1.86}Sr_{0.14}CuO_4$ 1449
– Nb film 1425
– $REMo_6S_8$ *691*
– thin film 1477
Single-electron charging effects 927, 973
Single-electron tunneling (SET) 63, 929, 943, 961, 963
– oscillations 929, 981
Single-electronics 933; *573*
Single high-T_c phase 1481
Single magnetic domain 799
Single-particle excitation 487
Singlet 397
Sinter pellets 1387
Sintered metal powder 527
Sintered silver 709
SIS 1587
– junctions 1591
– mixers 75, 107
– structures 1593
Site disorder 1481
Size effects 25, 143, 637
Size scaling 593
$S(k, \omega)$ 485
Skew scattering 273, 443, 1093
Skin depths, two-dimensional 881
Slab geometry 665; *527*
Slave boson 393, 409
Slip length 645
Slip-ring 55
Sm–Ba–Cu–O 1205
$SmGa_2$ 339
SmSb *499*
Small disorder 849
Small Josephson tunnel junctions, dynamics 1649
Small particles 1437
Small tunnel junctions 979
– two-dimensional array 961
SN interface 1625, 1627
^{119}Sn Mössbauer spectroscopy 1327
^{119}Sn Mössbauer studies 227
SNS Josephson junctions 1571
SNS junctions 71, 967, 1585
Soft-atom–electron interaction *595*
Soft configuration atoms *595*
Soft cores 631
Soft ferromagnetic 65
Softening of lattice vibration 1327
Sol–gel method 25
Solar system 117
Solid deuterium–tritium layers 163
Solid–fluid coexistence region 693
Solid ^{3}He 697, 821, 825, 827; *204*, *555*
– adsorbed 523
– bcc 801, 831, 833
– nuclear ordered 801
Solid ^{4}He 601, 813
Solid hydrogen 803, 841, 913
Solid-solution effect 1553
Solid-state reaction 1677
Solid surface 807
Solidification 551; *553*
Solids
– amorphous 895; *567*
– disordered 901
Solitons 603, 1651
– symmetry 665
Solubility 517
Sommerfeld constant 389, 425, 1337, 1347
Sound
– attenuation 1273, 1275

Sound (*cont'd*)
– propagation 619
– velocity 127, 1277, 1279, 1287; *511*
– – and attenuation in metals 905
– – longitudinal 349, 423
Sound-induced electromagnetic fields 1271
Space *408*
Spatiotemporal phenomena 1657
Specific heat 37, 187, 189, 357, 377, 379, 385, 425, 437, 441, 447, 569, 575, 889, 897, 903, 907, 1067, 1077, 1125, 1201, 1331, 1333, 1337, 1339, 1343, 1347, 1349, 1351, 1435; *499*, *567*
– anomaly 1339
– anomaly at T_c 1337, 1347
– at low temperature 1335; *471*
– at T_c 1335
– interaction *515*
– jump 1521
– jump at T_c 319
– magnetic field dependence 285, 389, 1337
– of Sm–Ba–Cu–O 1205
– pressure dependence of 425
Spectral properties 105
Spectrum of excitations 495
Specularity 265, 637
– coefficient 265
Spherical invariant *603*
Spin-boson Hamiltonian 953
Spin canted structure 1189
Spin conversion 161; *569*
Spin correlation 1309
Spin current *153*
Spin-density waves (SDW), sub-phases *368*
Spin diffusion 681, 707, 721, 729, 731, 747, 823; *543*
– coefficient, longitudinal 739; *543*
Spin dynamics 417, 723; *7*, *58*, *285*, *543*
Spin echoes 727, 729; *190*
– first amplitude 759
Spin exchange 19; *541*
Spin-exchange relaxation 743
Spin-fermion system 989
Spin-filter effect 467
Spin fluctuations 201, 239, 381, 385, 439, 445, 883, 1307
– and superconductivity 995
– antiferromagnetic 319, 1073
– quenching 203
– theory *271*
Spin glass 185, 209, 233, 447, 457, 459, 795
– alloys 189
– anisotropic 181
– anomaly 1339
– dynamic properties *299*
– films 461
– ordering 187
– uniaxial *471*
Spin-half quantum *XY* and Heisenberg models 223
Spin interactions, anisotropic 797
Spin–lattice relaxation 177, 717, 737, 803, 821, 1059, 1297, 1303, 1307, 1311
Spin–orbit coupling 117
Spin–orbit effects 859
Spin–orbit interaction 273
Spin–orbit scattering 861, 863, 1597
Spin paramagnetic effect 1597
Spin-polarisation 467
Spin-polarised atomic hydrogen 739
Spin-polarised quantum gases 747
Spin-polarised quantum systems 731; *183*
Spin-polarised systems *543*, *547*
Spin relaxation 641, 655, 707, 747, 801, 823; *285*, *569*
Spin rotation 729; *190*, *625*
Spin–spin interactions, reservoir of 231
Spin–spin relaxation time 1297, 1303, 1307
Spin structure change in La–Ba–Cu–O 1189
Spin structures 799
Spin supercurrent 649
Spin temperature 231
– negative absolute 785
Spin-wave resonances 747
Spin-wave velocity 827
Spin waves 201, 451, 731, 739, 747, 993; *204*
Spinel 225
Spinel compound 1599
Spinless fermions *585*
Spiral spin structure 997
Spontaneous ferromagnetism 199
Spontaneous magnetism 1437
Spontaneous phonon decay, critical energy for 495
Sputtered films 115
Sputtering 1475, 1513, 1601
– gas 1483
Square lattice 175, 1027
– two-dimensional 393, 1035; *587*
Squashing mode 661
Squeezing 981
SQUID 67, 85, 87, 97, 99, 705, 765, 837, 951; *414*
– DC 77, 81, 83, 95, 99, 753; *285*, *414*
– inductively shunted 81
– magnetometer 79, 99, 709
– magnetometry 109
– measurements with 887
– module 95
– multichannel 79, 99

SQUID (*cont'd*)
– resistively shunted 81
– RF 65, 83, 113, 925, 1447
– stripline 77
– thin-film DC 77
$Sr_2CuO_2Cl_2$ 1225
Sr doping 1247
$SrTiO_3$ 1185
SR X-ray 915
SRM 767a superconductive fixed point 33
SRM 768 superconductive fixed point 33
Stage-by-stage doping technology *659*
Standard quantum limit 981
Standing waves *217*
Static magnetic trap *449*
Static skin effect (SSE) 257, 277
– conditions 257
Static structure factor *505*
Statistical variational principle 513
Step suppression 1585
STM 63, 1563; *467*
Stoner-enhanced paramagnetic metals 239
Strain–quadrupole interaction 421
Strange attractor, low-dimension 761
Strong Coulomb repulsion 1007
Strong coupling 319, 1071
– limit *605*
– theory 1073
Strong electronic correlations 1015
Strong magnetic field 139, 669
Strong phonon coupling 897
Strongly correlated electrons *477*
Strongly correlated systems 993
Strongly localised semiconductor 299
Structural change 1291
Structural phase separation 1157
Structural phase transitions 1289, 1293
Structural transformation 915
Structural transitions 1337, 1689
Structure scattering 909
Subgap 1601
Subharmonic energy-gap structure *679*
Subharmonic fractional steps 1647
Subharmonic pumping 103, 1661
Sublattice magnetisation 831
Sublimation 163
Submillimeter range of wavelengths 1269
Submonolayer 609
Submonolayer ^{3}He films adsorbed on graphite 693
Substitution 1551
– effects 1323; *685*
– for copper 1665
– of copper 1545
Substrates 717, 1475
– heterogeneity 693
Superconducting accelerometer 93
Superconducting arrays 1127, 1643
Superconducting bridges 1609
Superconducting cavity resonator 145
Superconducting channels *677*
Superconducting critical temperatures 471, 1035
Superconducting cuprates 1551
Superconducting detector *445*
Superconducting devices *673*
Superconducting energy gap 1563, 1599; *465*, *705*
Superconducting films 1459, 1479
Superconducting fluctuations 1159, 1217, 1357, 1369, 1455
Superconducting galvanometer 1565
Superconducting gap 1231, 1601
Superconducting glass 1165
Superconducting granular detectors *439*
Superconducting magnet 129
Superconducting materials 887, 1353, 1445
Superconducting measurement circuit 925
Superconducting microbridge 113
Superconducting microladder 1113
Superconducting microstrip lines 75
Superconducting multilayer perovskites 1283
Superconducting multilayers 473; *121*
Superconducting Nb 453
Superconducting networks 1637
Superconducting–normal phase boundary 1643
Superconducting order-parameter 1081
Superconducting oxides 1133, 1693
Superconducting pairing 1007
Superconducting parametric transducer 9
Superconducting phase boundary 1643
Superconducting phase diagram 367
Superconducting phase transition *439*
Superconducting phases 369
– multiplicity of 355
Superconducting properties 1047, 1503; *687*
Superconducting proximity effect 481; *467*
Superconducting resistance noise 1377
Superconducting saucer 117
Superconducting states 361, 1159, 1311, 1535
– anisotropic 371
Superconducting strip detector *441*
Superconducting stripline 1661
Superconducting thin films 103, 1219, 1375, 1417, 1485, 1493; *673*
Superconducting Ti alloys 291
Superconducting transition 37, 1009, 1429

Superconducting transition temperature 383, 983, 1345, 1469, 1529, 1551, 1589, 1683
Superconducting tunnel junctions *415*
Superconducting weak links
– array 1111
– boundaries 1111
– computer simulation 1111
Superconductivity 219, 321, 357, 375, 377, 457, 475, 1033, 1037, 1053, 1109, 1115, 1141, 1147, 1157, 1161, 1187, 1211, 1215, 1229, 1241, 1245, 1247, 1259, 1261, 1291, 1319, 1321, 1323, 1325, 1337, 1347, 1435, 1461, 1465, 1469, 1483, 1509, 1517, 1519, 1523, 1533, 1557, 1559, 1565, 1589, 1631, 1651, 1669, 1671, *257*, *422*, *493*, *629*, *663*, *683*, *705*, *709*
– anyon *37*
– as-grown 1483
– bipolaronic 1043
– high entropy 1597
– mechanisms of 1283
– unconventional 355, 385
Superconductor–insulator transition 1463
Superconductors 213, 337, 477, 483, 1049, 1059, 1065, 1071, 1093, 1101, 1121, 1125, 1233, 1265, 1267, 1339, 1345, 1379, 1399, 1409, 1465, 1521, 1559, 1673; *475*
– amorphous *487*
– anisotropic 597, 1167; *605*
– anisotropic type-II 1129
– copper oxide 1011
– disordered 1431
– electron-doped 1243, 1535
– electron (or n-type) 1291
– imaging surface gradiometry 89
– imaging surface magnetrometry 91
– inhomogeneous 1107, 1617
– n-type ceramic 1233
– two-dimensional 1373; *487*, *681*
– unconventional 347, 351
– uniaxial 1103, 1453
– weak link 937
Supercurrents 755, 1625
Superfilter 129
Superflow 661; *581*
Superfluid-core vortices *535*
Superfluid ^{3}He 127, 629, 633, 637, 639, 663, 683, 755; *153*, *527*, *535*
– A–B phase boundary *165*
– collective excitations 635
– collective mode spectrum 685
– polarised 733
– rotating *164*
– textures 685
Superfluid ^{4}He 131, 487, 497, 501, 505, 513, 539, 549, 579, 749, 751, 753, 765; *505*
– optical spectroscopy of alkali ions in 137
– structure and excitations 489
Superfluid ^{3}He-A 615, 617, 627
Superfluid ^{3}He-B 651, 655, 657, 659, 665, 677, 681; *523*
Superfluid ^{3}He–^{4}He mixtures *509*
Superfluid ^{3}He–^{4}He solutions 511
Superfluid helium 119, 513, 763
– films *549*
– surface *217*
Superfluid onset 581
Superfluid phase transitions 769
Superfluid state 679
Superfluid transition 123, 591; *135*
– in ^{4}He 37, 123
– temperature 733
Superfluid turbulence 775
Superfluid vortex formation, computer simulation *535*
Superfluid vortices in ^{3}He *164*
Superfluidity 507, 509, 527
– theory of 513
Superfluids 491, 553, 569, 583, 599, 601, 603, 651, 661, 667, 669, 683, 757; *521*
– condensate density 579
– counterflow 671
– density 537, 547, 575, 593
– density of confined ^{4}He near superfluid transition *135*
– films 767
– frictional force 771
– rotating 655
– two-dimensional *529*
– ultrasonic density measurements 573
Superlattices 475, 483, 869, 1645; *293*
– copper oxide *116*
– of tightly-bound atomic layers *577*
Superlow temperatures 819
Supersaturation *513*
Supersolitons 1651, 1655
Supersymmetry 991
Supraconductivity 411
Surface 855, 1081
– behaviour 583
– critical phenomena 543, 575
– impedance 555; *529*
– impedance of superconductors 1173
– inertia 807
– properties 1081
– relaxation 673, 681
– resistance 255, 1253
– spins quantization axes 241
– state electrons 841

Surface (*cont'd*)
– superconductivity 1461
– tension 165, 515, 577
– traps 865
– waves 165; *517*
Surface layers, two-dimensional 609
Surface-roughness parameter 249
Susceptibility 173, 339, 413, 793, 1435, 1517, 1663; *659*
– AC 463, 1139, 1335, 1395, 1399, 1429, 1473, 1477
– anisotropic 413
– enhancement 691
– generalised 1055
– measurements 781
– orbital 885
– staggered 399
– static interacting 407
– strain 421
Switching lifetimes 307
Symmetry breaking *491*, *517*
Symmetry-increasing bifurcation 1659
Synchronisation 105

$T_{12}Ba_2Ca_2Cu_3O_x$ 1209, 1407, 1439
$TBa_2Cu_4O_8$ 1671
$T_{12}Ba_2CuO_{6-y}$ 1295
$T_{12}Ba_2CuO_6$ 1559
T_c enhancement *693*
t–J Hamiltonian 985
t–J model 987, 997, 999, 1013, 1021, 1025, 1027, 1029, 1259; *589*
– hole binding and mass enhancement in *593*
T_1 minima 821
T phases 1019
T_2 resistivity dependence 419
T_c suppression 1543
$(1-T/T_c)^{3/2}$ dependence 1137
t–t′–J model 1029
T-term observed 1341
T_c vs ΔV_A correlation 983
T_c vs ΔV_A curve 1019
$TaSe_3$ 887
Tangential nesting 1009
Taylor couette flow 777
Temperature dependence 867; *661*
Temperature oscillations *549*
Temperature scale 35, 111, 161
– EPT-76 31, 33
Ternary rare earth stannides 227
Textures 127
Thermal activation 757; *575*
Thermal conductance 591, 767
Thermal conductivity 49, 355, 543, 903, 909, 1201, 1203; *483*, *553*, *565*
– of Sm–Ba–Cu–O 1205
– of $TlBa_2Cu_3O_9$, CuO, and La_2CuO_4 *631*
Thermal contact 153
Thermal counterflow 775
Thermal decoupling 1
Thermal depinning *91*
Thermal expansion 375, 379
Thermal fluctuations 1123, 1163, 1405
Thermal force 1217
Thermal insulation 139
Thermally activated carriers *633*
Thermodynamic fluctuations 1371
Thermodynamics 401
– of one-dimensional Bose system *591*
Thermoelastic martensitic transformations 1693
Thermoelectric motive force 41
Thermoelectric power 1209, 1211, 1213
Thermoelectric ratio
– KNa 247
– KRb 247
– LiMg 247
Thermometers 37, 39, 119, 299; *453*
Thermometry 23, 27; *455*
– below 1 K 29
Thermopower 289, 877, 1207, 1215, 1369
Thick films 1377
Thickness oscillations *549*
Thickness scaling 591
Thin amorphous superconducting films 1525
Thin and long current-carrying filament 1659
Thin films 37, 293, 295, 455, 657, 679, 863, 1071, 1161, 1255, 1357, 1363, 1457, 1475, 1483, 1493, 1497; *238*, *487*, *681*
– alumunium 483
– oriented 419
Thin metal plates 263
Thin wires 249
Third sound 603; *521*, *549*
Thorium doping 373
Three-band Hubbard model 1015
Three-dimensional channels 571
Three-dimensional to two-dimensional crossover *299*
Three-magnon process 801
Three-phonon interactions *565*
Threshold field of chain creation 1103
$TiBe_{2-x}Cu_x$ 199
Tight-binding description *577*
Tight-binding superlattice *577*
Tilt modulus 1129, 1167
Time differential perturbed angular distribution (TDPAD) *625*

Time–energy uncertainty relationship 981
Time-path formalism 315
Time relaxation *611*
Time-reversal symmetry 1437
Tipping angle dependent frequency shifts 723
$Tl_2Ba_2CaCu_2O_8$ 1147, 1207
$TlBa_2Cu_3O_9$ *631*
$TlCaBa_2Cu_2O_{7-\delta}$(1122) 1683
Tl compound 1075, 1317
Tl–Pb–Ca–Sr–Cu–O 1401
$(Tl_{1-x}Pb_x)(Ca_{1-y}Y_y)Sr_2Cu_2O_{7-\delta}$ 1683
Tm 217, 405
$TmBa_2Cu_3O_{7-x}$ 1333
Topological excitations 1109
Topological solitons 963
Topology 629
Torsional oscillator 765
– high-Q 123
Transducer 93
Transition densities 531
Transition metals 207
Transition rate 959
Transition temperature 599, 675, 679, 1681
– effect of magnetic field 1277
Transmission electron microscopy 1693
Transmission line theory *529*
Transmission spectra 1269
Transport 871; *85*, *531*
– anomalies 1689
– coefficients 663, 725
– critical current 1417
– entropy 1217
– measurements 1211
– parameters 1033
– phenomena 311
– properties 217, 443, 725, 1185, 1411, 1539; *613*, *639*
Transverse cw-NMR 621
Transverse freezing 181
Transverse spin diffusion coefficient *543*
Transverse ultrasound, reduced attenuation of *322*
Trap *449*
Trapezoidal potential barrier model 1581
Trapped atoms 13
Trapped flux quanta 87
Triangular Ising antiferromagnet 237
Tricritical point 537, 825; *581*
Triple points 35, 161; *451*
Tsubota–Tsuneto relaxation term 801
Tumbling 117
Tunnel junctions 61, 79, 929, 967, 973, 977, 1579, 1583; *32*, *571*
– array *699*
– ballistically underdamped 969
– planar 1603
Tunneling 853, 1051, 1503, 1505, 1573, 1587, 1595; *573*
– characteristics 1067
– conductance *121*
– current 981
– effect 763
– junctions *447*
– measurements 1593
– model 899
– rate 959
– spectra 1567, 1621
– spectroscopy 1563, 1597, 1601
– states 899, 901, 909
– superconductor–semiconductor *459*
– systems 905
– time 973
Turbulence 1657
Turbulent behaviour *517*
Turnstile device 61
Twin boundaries *613*
Twinning 1515
Twinning plane 205, 1589
Two-band systems, two-dimensional 1009
Two-carrier model *635*
Two-dimensional arrays 1641, 1645, 1647
Two-dimensional behaviour *299*
Two-dimensional electrons 843, 855, 869
Two-dimensional lattice *585*
Two-dimensional mixed state 1471
Two-dimensional systems 1139, 1457
Two-fluid analysis *509*
Two-fluid dynamics 499
Two-fluid hydrodynamics 581, 773
Two-impurity Anderson model 399
Two-impurity Kondo problem 405
Two-level excitations 25
Two-level fluctuator 1375
"Two-level" scattering 909
Two-level systems 291, 553, 895, 897, 903; *565*
Two-level tunneling states *567*
Two-magnon scattering *621*
Two-phonon coherent state 1083
Two-phonon processes 809
Two-roton 503
Two scale factor universality 547
Two-state system 857
2, 4, 8 phases 1495
$2H–NbSe_2$ 1167
Type-I superconducting films 1471
Type-I superconductors *439*
Type-II superconductors 1105, 1179; *85*

UB_{12} 343
UBe_{13} 321, 359, 375; *257*
$UCu_{4+x}Al_{8-x}$ 429
U_2D_2 801
UPdIn 435
UPt_3 345, 347, 349, 351, 355, 357, 363, 367, 369, 371, 375, 377, 381, 407, 431, 439; *257*, *493*
$UPt_3B_{0.11}$ 363
$U(Pt–Pd)_3$ 381, 383
$U(Pt_{0.95}Pd_{0.05})_3$ 441
URu_2Si_2 369, 375, 423; *257*
$URuSn_x^+$ 445
U_3Sn_5 445
$U_{1-x}Th_xBe_{13}$ 359, 373
ULT cryostat 51
ULT techniques 47, 51
Ultasonic experiments 1271
Ultra-cold neutrons, scattering by liquid ^{4}He *503*
Ultra-high vacuum low-temperature gyroscope clock 155
Ultra-low capacitance 939
Ultra-low temperatures 25, 837; *306*, *436*, *453*
– thermometry 141
Ultra-small Josephson junctions 935, 943
Ultra-small Josephson tunnel junctions 933
Ultra-small junctions *573*
Ultra-small tunnel junctions
– one-dimensional array 929
– two-dimensional arrays 963
Ultra-thin films 1465
Ultra-thin films grown 1457
Ultrasonic anomalies 1291
Ultrasonic attenuation 351, 367, 369, 669, 677, 1281
Ultrasonic experiments 1271, 1289
Ultrasonic measurements 1275, 1283
Ultrasonic spectroscopy 677
Ultrasonic study 169
Ultrasonic transducers 667
Ultrasonic velocity 169, 171; *493*
Ultrasonics 127
Ultrasound 379, 553
– velocity *641*
Ultraviolet photoemission spectroscopy (UPS) 1223
Unidentified phase 1533
Universal conductance fluctuations (UCF) 861, 865
Universality *322*
Unsaturation *513*
Upper critical fields 363, 373, 475, 477, 883, 1041, 1439, 1449, 1467, 1469, 1555
Upper critical magnetic field 1061, 1431
Uranium intermetallic compounds 445
$U_3T_3X_4$ 437
uudd type 831

V 1597
V_2 phase 703
V_3O_7 29
V_2ZrD_x 1523
V_2ZrH_x 1523
V_2ZrT_x 1523
Vacancies 803, 813
Vacancy motion 1285
Vacuum of 10^{-17} Torr 155
Valence fluctuations 391, 405
Van der Waals field 593
Van der Waals forces 679
Van der Waals interaction 591
Van Hove excitons 1053
Van Vleck paramagnetic compounds 787
Van Vleck susceptibility *691*
Vapour pressure equations 35
Variable-range hopping 299, 1539; *489*, *491*
Variable-thickness bridge (VTB) 99
– bridge dimensions 79
– incident angle 79
Variational function 175
Velocity 1281
– measurements 423
Vertical resistive transition 479
Very low temperature excitations 189
Vibrating wire 651, 653, 683; *523*
– viscometer 639
Vibrational transitions 605
Viscometers 119, 121
Viscosimetric technique for Stokes types 121
Viscosity 563, 639, 645, 737; *190*
Voltage fluctuations 1165
Voltage modulation depth 81
Volume fraction 1681
Vortex–antivortex pair *681*
Vortex bending 1173
Vortex chains 1103
Vortex cluster *533*
Vortex cooler 771
Vortex core 347, 623
– parameter 591
Vortex diffusion constant 591
Vortex dislocation pairs *80*
Vortex dynamics 1163
Vortex excitations 485, 769
Vortex formation *535*
Vortex-free rotation *533*
Vortex glass 1161
Vortex-glass state 1169

Vortex impedance 1163
Vortex lattice 347, 1103, 1179; *619*
– melting 1153, 1155; *91*
– state 711
Vortex line 587
– density 771, 775
Vortex magnetic field 1103
Vortex motion 1405; *529*, *535*
Vortex pair unbinding 545
Vortex pinning 655, 1129, 1145, 1163, 1173
– model 771
Vortex rings 119, 757, 769
Vortex state *599*
Vortex superlattices 1645
Vortex textures 619
Vortex tunneling 941
Vortex unbinding transition *681*
Vortices 355, 649, 655, 669, 777, 941, 1569, 1645; *422*, *521*, *535*
– and turbulence in He II 751
– in ^{3}He *164*
– nonsingular, doubly quantised 631
– quantised 55, 347, 753
– singular 621
Vycor glass 547, 551, 553, 573, 577
– porous 605

Washer type 79
Watson's lemma 823
Wave functions of generalised Laughlin-type *587*
Wave-packet *531*
Wavevector 407
Weak antiferromagnetic order 357
Weak coupling *605*
Weak-coupling polaron 1083
Weak ferromagnet 201
Weak links 69, 755, 967, 1381, 1387, 1409, 1419
Weak localisation 287, 291, 917
– magnetoresistance 859
Weak magnetic field 261
Weak pair coupling 1453
Weak pinning 839
Weissenberg photography 1473
Werthamer–Helfand–Hohenberg (WHH) equations 1061
– deviations from theory 1431
Werthamer–Tucker 1587
Wetting 585, 607
Wick's theorem 985
Wigner crystal, two-dimensional 963
Wigner crystallisation 505
Wigner solid *557*
Wire lattices 1639
Wire networks 1635
Work function 1605

X-ray absorption 1265
– spectroscopy 1265
X-ray absorption fine structure (XAFS) 1697
X-ray diffraction 1493, 1495, 1509, 1671, 1681, 1691
– by superconductors *657*
X-ray photoelectron spectroscopy 1229
X-ray photoemission spectroscopy 1223, 1227
X-rays *439*
XPS measurements *695*
XY model 769, 975, 1641

$YBa_2(Cu_{1-x}M_x)_3O_y$ (M=Co and Zn) 1545
YBaCuO 1391, 1543, 1611, 1673
– single crystals 1273
$YBaCu_3O_7$ 1437
$YBa_2Cu_3O_x$ 1385; *641*
– thick films 1405
$YBa_2Cu_3O_{6+x}$ 1693; *58*
$YBa_2Cu_3O_{6.25}$ *625*
$YBa_2Cu_3O_{7-x}$ 1049, 1161, 1195, 1245, 1247, 1253, 1259, 1333, 1361, 1365, 1377, 1415, 1593, 1695, 1697; *647*, *711*
– epitaxial film *633*
– powder 1305
– thin films *667*, *671*, *675*
$YBa_2Cu_3O_7$ 1057, 1065, 1067, 1149, 1163, 1429, 1493, 1497, 1507, 1621, 1669; *45*
– PDS of 1085
– single crystals 1447
$YBa_2Cu_3O_8$ 1335
$YBa_2Cu_4O_8$ 1435, 1699
– submicron powders 1667
Y_2BaCuO_5 1695
$Y_2Ba_4Cu_7O_{14+x}$ 1671
$(YBaCuO)_{1-x}Ag_x$ 1391
Y–Ba–CuO/MgO/Pb 73
$YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ *116*
Y–Ba–Cu(Sn)–O 1327
$(Y_{1-x}Ca_x)(Ba_{2-y}La_y)Cu_3O_{7-\delta}$ 1237
YCu_2 *495*
$Y_{1-x}Gd_xBa_2Cu_3O_7$ 1319
$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ *697*
$(Y_{1-x}Pr_x)Ba_2Cu_3O_7$ 1347
$Y_{1-x}Pr_xBa_2Cu_3O_7$ alloy thin films 1503
Y substitution 1227
$YbCu_{4.5}$ 389, 425
YBCO 115; *459*
– crystals 1369

YBCO (*cont'd*)
– films *645*
– – as-deposited 1513
– – as-grown 1433
YBCO/Ag/Pb junction 1565
YBCO/Ag/YBCO 71
YBCO-like superconductors 1547
YBCO/silver interfaces 1625
Y_2O_3 1695

Zeeman subsystems 231
Zener transitions 943
Zener tunneling 939
Zero-field cooled 181
Zero-field step 1655
Zero gravity 561
Zero-point fluctuations 1457
Zero sound 487
– attenuation 619
– experiments 613
– in ^{3}He-B *170*
– transmission 623
Zero temperature scaling 309, 395
Zhang–Rice singlet 983
$Zn_xCd_{1-x}Cr_2Se_4$ 243
Zr-doped $SrTiO_3$ 1517
$Zr_{1-x}Hf_xZn_2$ 203
ZrN 293
(Zr–Ni)–Al 1215
ZSM 571